


EMC shield clamps for metal sheet edges, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

These shield clamps are used where a screw connection is either not possible or wanted. The shield is simply plugged on the metal sheet edge. The claws provide a secure grip, even in case of vibrations.



Specifications


Material	Shield clamp: Spring steel, zinc plated Mounting foot: Spring steel
Properties	vibration proof
Mounting options	Clamping

Advantages & benefits


- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free

Product types & sizes


PFK-A|SKL 1.5-3



Part No.	36778.1	Min. shield diam.	1,5 mm
EAN	4251269303	Max. shield diam.	3 mm
Package quantity	227	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	19,4 mm
Shield diameter	1,5 - 3 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm




Part No.	36782.1	Min. shield diam.	1,5 mm
EAN	4251269303760	Max. shield diam.	3 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	20,4 mm
Shield diameter	1,5 - 3 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm





Part No.	36778.2	Min. shield diam.	3 mm
EAN	4251269303234	Max. shield diam.	6 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	20,1 mm
Shield diameter	3 - 6 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm

Part No.	36782.2	Min. shield	3 mm
EAN	4251269303	diam.	
	777	Max. shield	6 mm
Package	10	diam.	
quantity		Length	28,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	21,1 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	3 - 6 mm	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36778.3	Min. shield	6 mm
EAN	4251269303	diam.	
	241	Max. shield	8 mm
Package	10	diam.	
quantity		Length	28,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	21,5 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	6 - 8 mm	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	






Part No.	36782.3	Min. shield diam.	6 mm
EAN	4251269303784	Max. shield diam.	8 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	22,5 mm
Shield diameter	6 - 8 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm





Part No.	36778.4	Min. shield diam.	8 mm
EAN	4251269303258	Max. shield diam.	11 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	26,5 mm
Shield diameter	8 - 11 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm

Part No.	36782.4	Min. shield	8 mm
EAN	4251269303	diam.	
	791	Max. shield	11 mm
Package	10	diam.	
quantity		Length	28,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	27,5 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	8 - 11 mm	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.01	Length	32,5 mm
EAN	4251269303	Min. shield	1,5 mm
	302	diam. pos. 2	
Package	10	Max. shield	3 mm
quantity		diam. pos. 2	
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	20,7 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	- 1,5 - 3 mm	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	






Part No.	36784.01	Length	32,5 mm
EAN	4251269303845	Min. shield diam. pos. 2	1,5 mm
Package quantity	10	Max. shield diam. pos. 2	3 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	20,4 mm
Shield diameter	- 1,5 - 3 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm





Part No.	36780.02	Length	32,5 mm
EAN	4251269303319	Min. shield diam. pos. 2	3 mm
Package quantity	10	Max. shield diam. pos. 2	6 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	21,5 mm
Shield diameter	- 3 - 6 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm

Part No.	36784.02	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	3 mm
	852	Max. shield diam. pos. 2	6 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	21,1 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 3 - 6 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm




Part No.	36780.03	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	6 mm
	326	Max. shield diam. pos. 2	8 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	22,9 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 6 - 8 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm






Part No.	36784.03	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	6 mm
	869	Max. shield diam. pos. 2	8 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	22,5 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 6 - 8 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm





Part No.	36780.04	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	8 mm
	333	Max. shield diam. pos. 2	11 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	27,9 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 8 - 11 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm

Part No.	36784.04	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	8 mm
	876	Max. shield diam. pos. 2	11 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	27,5 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 8 - 11 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm




Part No.	36780.10	Min. shield diam. pos. 1	1,5 mm
EAN	4251269303	Max. shield diam. pos. 1	3 mm
	340	Length	32,5 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	20,7 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	1,5 - 3 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm







Part No.	36784.10	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	883	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	20,4 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	1,5 - 3 mm	- For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.11	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	357	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	20,7 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.11	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	890	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	20,4 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.12	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	364	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	3 - 6 mm	Height	21,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.12	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	906	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	3 - 6 mm	Height	21,1 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.13	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	371	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	6 - 8 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.13	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	913	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	6 - 8 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	



Part No.	36780.14	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	388	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.14	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	920	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	





Part No.	36780.20	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	395	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21,5 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	3 - 6 mm -	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	

Part No.	36784.20	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	937	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21,1 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	3 - 6 mm -	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.21	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	401	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	21,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	






Part No.	36784.21	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	944	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	21,1 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	





Part No.	36780.22	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	418	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	21,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	

Part No.	36784.22	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	951	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	21,1 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.23	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	425	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	







Part No.	36784.23	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	968	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.24	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	432	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.24	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	975	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	



Part No.	36780.30	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	449	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	22,9 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	6 - 8 mm -	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.30	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	982	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	22,5 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	6 - 8 mm -	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	





Part No.	36780.31	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	456	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	

Part No.	36784.31	Min. shield	6 mm
EAN	4251269303999	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.32	Min. shield	6 mm
EAN	4251269303463	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 3 -	Width	20 mm
diameter	6 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	







Part No.	36784.32	Min. shield	6 mm
EAN	4251269304002	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 3	Width	20 mm
diameter	6 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.33	Min. shield	6 mm
EAN	4251269303470	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 6	Width	20 mm
diameter	8 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.33	Min. shield	6 mm
EAN	4251269304019	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 6 -	Width	20 mm
diameter	8 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	



Part No.	36780.34	Min. shield	6 mm
EAN	4251269303487	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36784.34	Min. shield	6 mm
EAN	4251269304026	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	





Part No.	36780.40	Min. shield	8 mm
EAN	4251269303494	diam. pos. 1	
		Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	27,9 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	8 - 11 mm -	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	

Part No.	36784.40	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	033	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	27,5 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	8 - 11 mm -	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36780.41	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	500	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	






Part No.	36784.41	Min. shield	8 mm
EAN	4251269304040	diam. pos. 1	
		Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	





Part No.	36780.42	Min. shield	8 mm
EAN	4251269303517	diam. pos. 1	
		Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 3	Width	20 mm
diameter	- 6 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	

Part No.	36784.42	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	057	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 3	Width	20 mm
diameter	- 6 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	



Part No.	36780.43	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	524	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 6	Width	20 mm
diameter	- 8 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	





Part No.	36784.43	Min. shield diam. pos. 1	8 mm
EAN	4251269304064	Max. shield diam. pos. 1	11 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	6 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	8 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	8 - 11 mm 6 - 8 mm	Width	20 mm
		Height	27,5 mm
		For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm

PFKZ-A-M|MSKL 3-12




Part No.	37640	Min. shield diam.	3 mm
EAN	4251269316746	Max. shield diam.	12 mm
Package quantity	10	Length	38 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	MSKL	Width	15 mm
For max. no. of cables	1	Height	28,8 mm
Shield diameter	3 - 12 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm

PFKZ-B-M|MSKL 3-12



Part No.	37650	Min. shield diam.	3 mm
EAN	4251269316760	Max. shield diam.	12 mm
Package quantity	10	Length	38 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	MSKL	Width	15 mm
For max. no. of cables	1	Height	28 mm
Shield diameter	3 - 12 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm

PFKZ-A-M|MSKL 8-18




Part No.	37642	Min. shield diam.	8 mm
EAN	4251269316753	Max. shield diam.	18 mm
Package quantity	10	Length	38 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	MSKL	Width	20 mm
For max. no. of cables	1	Height	35 mm
Shield diameter	8 - 18 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm

PFKZ-B-M|MSKL 8-18




Part No.	37652	Min. shield diam.	8 mm
EAN	4251269316777	Max. shield diam.	18 mm
Package quantity	10	Length	38 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	MSKL	Width	20 mm
For max. no. of cables	1	Height	35 mm
Shield diameter	8 - 18 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm

PFKZ-A|SKL 1.5-3




Part No.	36779.1	Min. shield diam.	1,5 mm
EAN	4251269303265	Max. shield diam.	3 mm
Package quantity	10	Length	33 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	21 mm
Shield diameter	1,5 - 3 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm


PFKZ-B|SKL 1.5-3



Part No.	36783.1	Min. shield diam.	1,5 mm
EAN	4251269303807	Max. shield diam.	3 mm
Package quantity	10	Length	33 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	21 mm
Shield diameter	1,5 - 3 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm




Part No.	36779.2	Min. shield diam.	3 mm
EAN	4251269303	Max. shield diam.	6 mm
	272		
Package quantity	10	Length	33 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	20,5 mm
Shield diameter	3 - 6 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm





Part No.	36783.2	Min. shield diam.	3 mm
EAN	4251269303	Max. shield diam.	6 mm
	814		
Package quantity	10	Length	33 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	21,6 mm
Shield diameter	3 - 6 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm

Part No.	36779.3	Min. shield	6 mm
EAN	4251269303	diam.	
	289	Max. shield	8 mm
Package	10	diam.	
quantity		Length	33 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	22 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	6 - 8 mm	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36783.3	Min. shield	6 mm
EAN	4251269303	diam.	
	821	Max. shield	8 mm
Package	10	diam.	
quantity		Length	33 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	23 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	6 - 8 mm	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	






Part No.	36779.4	Min. shield diam.	8 mm
EAN	4251269303	Max. shield diam.	11 mm
Package quantity	296	Length	33 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	27 mm
Shield diameter	8 - 11 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm



Part No.	36783.4	Min. shield diam.	8 mm
EAN	4251269303	Max. shield diam.	11 mm
Package quantity	838	Length	33 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	28 mm
Shield diameter	8 - 11 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm


PFKZ2-A|SKL 01


Part No.	36781.01	Length	37 mm
EAN	4251269303	Min. shield diam. pos. 2	1,5 mm
	531	Max. shield diam. pos. 2	3 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	21,2 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 1,5 - 3 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm




PFKZ2-B|SKL 01

Part No.	36785.01	Length	37 mm
EAN	4251269304	Min. shield diam. pos. 2	1,5 mm
	071	Max. shield diam. pos. 2	3 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	20,9 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 1,5 - 3 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm






Part No.	36781.02	Length	37 mm
EAN	4251269303	Min. shield diam. pos. 2	3 mm
	548	Max. shield diam. pos. 2	6 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	22 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 3 - 6 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm



Part No.	36785.02	Length	37 mm
EAN	4251269304	Min. shield diam. pos. 2	3 mm
	088	Max. shield diam. pos. 2	6 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	21,6 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 3 - 6 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm


PFKZ2-A|SKL 03


Part No.	36781.03	Length	37 mm
EAN	4251269303	Min. shield diam. pos. 2	6 mm
	555	Max. shield diam. pos. 2	8 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	23,4 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 6 - 8 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm




PFKZ2-B|SKL 03

Part No.	36785.03	Length	37 mm
EAN	4251269304	Min. shield diam. pos. 2	6 mm
	095	Max. shield diam. pos. 2	8 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	23 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 6 - 8 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm






Part No.	36781.04	Length	37 mm
EAN	4251269303	Min. shield diam. pos. 2	8 mm
	562	Max. shield diam. pos. 2	11 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	28,4 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 8 - 11 mm	For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm



Part No.	36785.04	Length	37 mm
EAN	4251269304	Min. shield diam. pos. 2	8 mm
	101	Max. shield diam. pos. 2	11 mm
Package quantity	10	Strain relief function	Yes
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	28 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 8 - 11 mm	For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm


PFKZ2-A|SKL 10


Part No.	36781.10	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	579	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21,2 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	1,5 - 3 mm	- For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	




PFKZ2-B|SKL 10

Part No.	36785.10	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	118	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	20,9 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	1,5 - 3 mm	- For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	






Part No.	36781.11	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	586	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	21,2 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.11	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	125	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	20,9 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	

PFKZ2-A|SKL 12




Part No.	36781.12	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	593	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	3 - 6 mm	Height	22 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	


PFKZ2-B|SKL 12



Part No.	36785.12	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	132	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	3 - 6 mm	Height	21,6 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36781.13	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	609	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	6 - 8 mm	Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	





Part No.	36785.13	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	149	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	6 - 8 mm	Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	

Part No.	36781.14	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	616	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.14	Min. shield	1,5 mm
EAN	4251269304	diam. pos. 1	
	156	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	






Part No.	36781.20	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	623	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	22 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	3 - 6 mm -	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.20	Min. shield	3 mm
EAN	4251269304	diam. pos. 1	
	163	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21,6 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	3 - 6 mm -	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	

PFKZ2-A|SKL 21




Part No.	36781.21	Min. shield diam. pos. 1	3 mm
EAN	4251269303	Max. shield diam. pos. 1	6 mm
Package quantity	10	Length	37 mm
No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
For max. no. of cables	2	Strain relief function	Yes
Shield diameter	3 - 6 mm 1,5 - 3 mm	Width	20 mm
		Height	22 mm
		For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm
		For wall thickness	1,5 - 2 mm


PFKZ2-B|SKL 21




Part No.	36785.21	Min. shield diam. pos. 1	3 mm
EAN	4251269304	Max. shield diam. pos. 1	6 mm
Package quantity	10	Length	37 mm
No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
For max. no. of cables	2	Strain relief function	Yes
Shield diameter	3 - 6 mm 1,5 - 3 mm	Width	20 mm
		Height	21,6 mm
		For min. wall thickness	2 mm
		For max. wall thickness	3 mm
		For wall thickness	2 - 3 mm




Part No.	36781.22	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	647	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	22 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.22	Min. shield	3 mm
EAN	4251269304	diam. pos. 1	
	187	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	21,6 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36781.23	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	654	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	



Part No.	36785.23	Min. shield	3 mm
EAN	4251269304	diam. pos. 1	
	194	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36781.24	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	661	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	



Part No.	36785.24	Min. shield	3 mm
EAN	4251269304	diam. pos. 1	
	200	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	


PFKZ2-A|SKL 30


Part No.	36781.30	Min. shield	6 mm
EAN	4251269303678	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	23,4 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	6 - 8 mm -	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	




PFKZ2-B|SKL 30

Part No.	36785.30	Min. shield	6 mm
EAN	4251269304217	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	23 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	6 - 8 mm -	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	






Part No.	36781.31	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	685	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	





Part No.	36785.31	Min. shield	6 mm
EAN	4251269304	diam. pos. 1	
	224	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	

Part No.	36781.32	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	692	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 3	Width	20 mm
diameter	6 mm	Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.32	Min. shield	6 mm
EAN	4251269304	diam. pos. 1	
	231	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 3	Width	20 mm
diameter	6 mm	Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	







Part No.	36781.33	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	708	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 6 -	Width	20 mm
diameter	8 mm	Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.33	Min. shield	6 mm
EAN	4251269304	diam. pos. 1	
	248	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 6 -	Width	20 mm
diameter	8 mm	Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36781.34	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	715	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 8 -	Width	20 mm
diameter	11 mm	Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	



Part No.	36785.34	Min. shield	6 mm
EAN	4251269304	diam. pos. 1	
	255	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	6 - 8 mm 8 -	Width	20 mm
diameter	11 mm	Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36781.40	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	722	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	28,4 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	8 - 11 mm -	For max. wall	2 mm
diameter		thickness	
		For wall	1,5 - 2 mm
		thickness	




Part No.	36785.40	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	262	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	28 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	8 - 11 mm -	For max. wall	3 mm
diameter		thickness	
		For wall	2 - 3 mm
		thickness	

PFKZ2-A|SKL 41




Part No.	36781.41	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	739	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	8 - 11 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	


PFKZ2-B|SKL 41



Part No.	36785.41	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	279	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	8 - 11 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	




Part No.	36781.42	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	746	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	8 - 11 mm 3	Width	20 mm
diameter	- 6 mm	Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	



Part No.	36785.42	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	286	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	8 - 11 mm 3	Width	20 mm
diameter	- 6 mm	Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	

Part No.	36781.43	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	753	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	8 - 11 mm 6	Width	20 mm
diameter	- 8 mm	Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	
		For wall	1,5 - 2 mm
		thickness	



Part No.	36785.43	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	293	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	37 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	Yes
cables		function	
Shield	8 - 11 mm 6	Width	20 mm
diameter	- 8 mm	Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	
		For wall	2 - 3 mm
		thickness	

