

KTMBBS | Multi-range cable grommets for KEL systems, grey

for cable diameters 4 - 29 mm / IP54 / UL Type 12



Cable grommets KTMBBS grey are used to route pre-terminated cables with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

The innovative membrane enables the routing of cables with diameters that can vary up to 3 mm.

Utilising the KTMBBS, cables with cable diameters from 4 to 29 mm can be routed.

The innovative wave cut and the flexible sealing lips make it possible to seal the cable with IP54 / UL Type 12.

[ST-B Plugs](#) can be used for sealing the grommets if cables have been removed.

IP54

RoHS compliant

UL TYPE 12

REACH COMPLIANCE

Made in Germany

CALUS

HL3 EN 45545-2

ECOLAB certified

UV ISO 4892-2A

Specifications


IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits

- Routing of cables with and without connectors
- Only 12 grommets cover a clamping range from 4 to 29 mm
- Innovative wave cut for a better sealing
- Innovative membrane for high flexibility

Product types & sizes


KTMBBS 4-7 small (grey), variable cable diameter range 4-7 mm



Part No.	41380
EAN	4251269324987
Package quantity	10
For max. no. of cables	1
Colour	grey (similar RAL 7035)
Length	21 mm
Width	21 mm

Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	4 - 7 mm
Clamping range	1 x 4 - 7 mm


KTMBBS 6-9 small (grey), variable cable diameter range 6-9 mm



Part No.	41381
EAN	4251269324994
Package quantity	10
For max. no. of cables	1
Colour	grey (similar RAL 7035)
Length	21 mm
Width	21 mm

Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	6 - 9 mm
Clamping range	1 x 6 - 9 mm

KTMB5 8-11 small (grey), variable cable diameter range 8-11 mm




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41382
4251269325007
10
1
grey (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range
Clamping range

19 mm
2 mm
Round cable
8 - 11 mm
1 x 8 - 11 mm

KTMB5 10-12 small (grey), variable cable diameter range 10-12 mm




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41383
4251269325014
10
1
grey (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range
Clamping range

19 mm
2 mm
Round cable
10 - 12 mm
1 x 10 - 12 mm

KTMB5 12-15 large (grey), variable cable diameter range 12-15 mm




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41384
4251269325021
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range
Clamping range

19 mm
2 mm
Round cable
12 - 15 mm
1 x 12 - 15 mm

KTMB5 14-17 large (grey), variable cable diameter range 14-17 mm




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41385
4251269325038
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range
Clamping range

19 mm
2 mm
Round cable
14 - 17 mm
1 x 14 - 17 mm

KTMB5 16-19 large (grey), variable cable diameter range 16-19 mm




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41386
4251269325045
10
1
grey (similar RAL 7035)
41,5 mm
42 mm


Height
Mounting height
For cable type
Clamping range
Clamping range

19 mm
2 mm
Round cable
16 - 19 mm
1 x 16 - 19 mm


KTMB5 18-21 large (grey), variable cable diameter range 18-21 mm	Part No.	41387	Height	19 mm
	EAN	4251269325052	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	18 - 21 mm
	Colour	grey (similar RAL 7035)	Clamping range	1 x 18 - 21 mm
	Length	41,5 mm		
	Width	42 mm		




KTMB5 20-23 large (grey), variable cable diameter range 20-23 mm	Part No.	41388	Height	19 mm
	EAN	4251269325069	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	20 - 23 mm
	Colour	grey (similar RAL 7035)	Clamping range	1 x 20 - 23 mm
	Length	41,5 mm		
	Width	42 mm		



KTMB5 22-25 large (grey), variable cable diameter range 22-25 mm	Part No.	41389	Height	19 mm
	EAN	4251269325076	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	22 - 25 mm
	Colour	grey (similar RAL 7035)	Clamping range	1 x 22 - 25 mm
	Length	41,5 mm		
	Width	42 mm		



KTMB5 24-27 large (grey), variable cable diameter range 24-27 mm	Part No.	41390	Height	19 mm
	EAN	4251269325083	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	24 - 27 mm
	Colour	grey (similar RAL 7035)	Clamping range	1 x 24 - 27 mm
	Length	41,5 mm		
	Width	42 mm		



KTMB5 26-29 large (grey), variable cable diameter range 26-29 mm	Part No.	41391	Height	19 mm
	EAN	4251269325090	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	26 - 29 mm
	Colour	grey (similar RAL 7035)	Clamping range	1 x 26 - 29 mm
	Length	41,5 mm		
	Width	42 mm		

