

KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M12 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version vo the KEL-DP fits perfectly into metric cut-outs M12 | M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54

IP55

IP64

IP65

UL TYPE 12

Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses


Product types & sizes

KEL-DP 12|1 A gy round















Part No.	43603	Mounting height	5 mm
EAN		External diameter	19 mm
Package quantity	10	Cut-out size, round	12 mm
For max. no. of cables	1	Cut-out size, metric	M12
Max. cable diameter	6,2 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	1 x 1 - 6.2 mm







KEL-DP 16|1 A gy round




Part No.	43600	Mounting height	5 mm
EAN	4251269329791	External diameter	23 mm
Package quantity	10	Cut-out size, round	16 mm
For max. no. of cables	1	Cut-out size, metric	M16
Max. cable diameter	9,2 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	1 x 1 - 9.2 mm

KEL-DP 16 3 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43601 4251269329807 10 3 5,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 23 mm 16 mm M16 1,5 mm 2,5 mm 1,5 - 2,5 mm 3 x 1 - 5.2 mm
KEL-DP 16 7 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43602 4251269329814 10 7 3,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 23 mm 16 mm M16 1,5 mm 2,5 mm 1,5 - 2,5 mm 7 x 1 - 3.2 mm
KEL-DP 20 1 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43571 4251269329784 10 1 14 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 1 x 1 - 14 mm
KEL-DP 20 4 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43572 4251269320477 10 4 5,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 4 x 1 - 5.2 mm
KEL-DP 20 4-1 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43575 4251269323911 10 4 8 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 2 x 1 - 8 mm 2 x 1 - 4.5 mm
KEL-DP 20 5 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43573 4251269320484 10 5 10,6 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 1 x 1 - 10.6 mm 2 x 1 - 4.6 mm 2 x 1 - 3.6 mm

KEL-DP 20 9 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43574 4251269320491 10 9 4,6 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 5 x 1 - 4.6 mm 4 x 1 - 3.6 mm
KEL-DP 25 4 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43533 4251269310027 10 4 8 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 1,5 mm 2,5 mm 1,5 - 2,5 mm 4 x 1 - 8 mm
KEL-DP 25 4 B gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	50536 4251269333248 10 4 8 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 2,8 mm 4 mm 2,8 - 4 mm 4 x 1 - 8 mm
KEL-DP 25 4 A bk round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	50533 4251269314803 10 4 8 mm black 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 1,5 mm 2,5 mm 1,5 - 2,5 mm 4 x 1 - 8 mm
KEL-DP 25 4 B bk round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43535 4251269324079 10 4 8 mm black 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 2,8 mm 4 mm 2,8 - 4 mm 4 x 1 - 8 mm
KEL-DP 25 6 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43531 4251269310003 10 6 9,4 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 1,5 mm 2,5 mm 1,5 - 2,5 mm 4 x 1 - 5.2 mm 2 x 1 - 9.4 mm

KEL-DP 25 6 A bk round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	50531 4251269314780 10 6 9,4 mm black 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 1,5 mm 2,5 mm 1,5 - 2,5 mm 4 x 1 - 5.2 mm 2 x 1 - 9.4 mm
KEL-DP 25 7 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43534 4251269322563 10 7 5,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 32 mm 25 mm M25 1,5 mm 2,5 mm 1,5 - 2,5 mm 7 x 1 - 5.2 mm
KEL-DP 32 7 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43592 4251269322488 10 7 8 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 38 mm 32 mm M32 1,5 mm 2,5 mm 1,5 - 2,5 mm 7 x 1 - 8 mm
KEL-DP 32 7 B gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43596 4251269322525 10 7 8 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 38 mm 32 mm M32 2,8 mm 4 mm 2,8 - 4 mm 7 x 1 - 8 mm
KEL-DP 32 10 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43532 4251269310010 10 10 9,4 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 38 mm 32 mm M32 1,5 mm 2,5 mm 1,5 - 2,5 mm 6 x 1 - 5.2 mm 2 x 1 - 6.4 mm 2 x 1 - 9.4 mm
KEL-DP 32 10 B gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43560 4251269310133 10 10 9,4 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 38 mm 32 mm M32 2,8 mm 4 mm 2,8 - 4 mm 6 x 1 - 5.2 mm 2 x 1 - 6.4 mm 2 x 1 - 9.4 mm

**KEL-DP 32|10 A bk
round**




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50532
4251269314797
10
10
9,4 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
1,5 - 2,5 mm
6 x 1 - 5.2 mm
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

**KEL-DP 32|10 B bk
round**




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50560
4251269314889
10
10
9,4 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
2,8 mm
4 mm
2,8 - 4 mm
6 x 1 - 5.2 mm
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

**KEL-DP 32|10-2 A gy
round**




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43593
4251269322495
10
10
6,4 mm
grey (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
1,5 - 2,5 mm
10 x 1 - 6.4 mm

**KEL-DP 32|10-2 B gy
round**




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43597
4251269322532
10
10
6,4 mm
grey (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
2,8 mm
4 mm
2,8 - 4 mm
10 x 1 - 6.4 mm

**KEL-DP 32|11 A gy
round**




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43594
4251269322501
10
11
8 mm
grey (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range


5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
1,5 - 2,5 mm
2 x 1 - 8 mm
9 x 1 - 5.2 mm

KEL-DP 32|11 B gy
round




Part No.	43598	Mounting height	5 mm
EAN	4251269322549	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	11	Cut-out size, metric	M32
Max. cable diameter	8 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	2 x 1 - 8 mm
			9 x 1 - 5.2 mm

KEL-DP 32|13 A gy
round




Part No.	43595	Mounting height	5 mm
EAN	4251269322518	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	13	Cut-out size, metric	M32
Max. cable diameter	5,2 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	13 x 1 - 5.2 mm

KEL-DP 32|13 B gy
round




Part No.	43599	Mounting height	5 mm
EAN	4251269322556	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	13	Cut-out size, metric	M32
Max. cable diameter	5,2 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	13 x 1 - 5.2 mm

KEL-DP 40|9 A gy
round




Part No.	43536	Mounting height	5 mm
EAN	4251269310034	External diameter	50 mm
Package quantity	10	Cut-out size, round	40 mm
For max. no. of cables	9	Cut-out size, metric	M40
Max. cable diameter	11,3 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	8 x 1 - 9.5 mm
			1 x 1 - 11.3 mm

KEL-DP 40|9 B gy
round



Part No.	43561	Mounting height	5 mm
EAN	4251269310140	External diameter	50 mm
Package quantity	10	Cut-out size, round	40 mm
For max. no. of cables	9	Cut-out size, metric	M40
Max. cable diameter	11,3 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	8 x 1 - 9.5 mm
			1 x 1 - 11.3 mm


KEL-DP 40|16 A gy
round



Part No. **43537**
EAN **4251269310041**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **50 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm


KEL-DP 40|16 B gy
round



Part No. **43563**
EAN **4251269310164**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **50 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm


KEL-DP 40|17 A gy
round



Part No. **43538**
EAN **4251269310058**
Package quantity **10**
For max. no. of cables **17**
Max. cable diameter **7,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **50 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm


KEL-DP 40|17 B gy
round



Part No. **43565**
EAN **4251269310188**
Package quantity **10**
For max. no. of cables **17**
Max. cable diameter **7,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **50 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm


KEL-DP 50|9 A gy
round



Part No. **43554**
EAN **4251269310102**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **18 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm


KEL-DP 50|9 B gy
round



Part No. **43568**
EAN **4251269310218**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **18 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm


KEL-DP 50|9 A bk
round



Part No. **50554**
EAN **4251269314858**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **18 mm**
Colour **black**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm


KEL-DP 50|9 B bk
round



Part No. **50568**
EAN **4251269314933**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **18 mm**
Colour **black**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm


KEL-DP 50|11 A gy
round



Part No. **43555**
EAN **4251269310119**
Package quantity **10**
For max. no. of cables **11**
Max. cable diameter **22,5 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm


KEL-DP 50|11 B gy
round



Part No. **43569**
EAN **4251269310225**
Package quantity **10**
For max. no. of cables **11**
Max. cable diameter **22,5 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**


Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

KEL-DP 50|11 A bk
round




Part No.	50555	Mounting height	5 mm
EAN	4251269314865	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	11	Cut-out size, metric	M50
Max. cable diameter	22,5 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	7 x 1 - 7.2 mm
			3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

KEL-DP 50|11 B bk
round




Part No.	50569	Mounting height	5 mm
EAN	4251269314940	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	11	Cut-out size, metric	M50
Max. cable diameter	22,5 mm	For min. wall thickness	2,8 mm
Colour	black	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	7 x 1 - 7.2 mm
			3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

KEL-DP 50|12 A gy
round




Part No.	43551	Mounting height	5 mm
EAN	4251269310072	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|12 B gy
round




Part No.	43562	Mounting height	5 mm
EAN	4251269310157	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|12 A bk
round




Part No.	50551	Mounting height	5 mm
EAN	4251269314827	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|12 B bk
round




Part No.	50562	Mounting height	5 mm
EAN	4251269314896	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	2,8 mm
Colour	black	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|16 A gy
round




Part No.	43550	Mounting height	5 mm
EAN	4251269310065	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	16	Cut-out size, metric	M50
Max. cable diameter	11,3 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	4 x 1 - 5.3 mm
			5 x 1 - 6.3 mm
			3 x 1 - 9.5 mm
			4 x 1 - 11.3 mm

KEL-DP 50|16 B gy
round




Part No.	43564	Mounting height	5 mm
EAN	4251269310171	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	16	Cut-out size, metric	M50
Max. cable diameter	11,3 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	4 x 1 - 5.3 mm
			5 x 1 - 6.3 mm
			3 x 1 - 9.5 mm
			4 x 1 - 11.3 mm

KEL-DP 50|16 A bk
round




Part No.	50550	Mounting height	5 mm
EAN	4251269314810	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	16	Cut-out size, metric	M50
Max. cable diameter	11,3 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	4 x 1 - 5.3 mm
			5 x 1 - 6.3 mm
			3 x 1 - 9.5 mm
			4 x 1 - 11.3 mm

KEL-DP 50|16 B bk
round



Part No.	50564	Mounting height	5 mm
EAN	4251269314902	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	16	Cut-out size, metric	M50
Max. cable diameter	11,3 mm	For min. wall thickness	2,8 mm
Colour	black	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	4 x 1 - 5.3 mm
			5 x 1 - 6.3 mm
			3 x 1 - 9.5 mm
			4 x 1 - 11.3 mm




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43553
4251269310096
10
18
12 mm
grey (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
1,5 mm
2,5 mm
1,5 - 2,5 mm
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43567
4251269310201
10
18
12 mm
grey (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
2,8 mm
4 mm
2,8 - 4 mm
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50553
4251269314841
10
18
12 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
1,5 mm
2,5 mm
1,5 - 2,5 mm
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50567
4251269314926
10
18
12 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
2,8 mm
4 mm
2,8 - 4 mm
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43552
4251269310089
10
20
9,3 mm
grey (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
1,5 mm
2,5 mm
1,5 - 2,5 mm
16 x 1 - 6.3 mm
4 x 1 - 9.3 mm


**KEL-DP 50|20 B gy
round**



Part No. **43566**
EAN **4251269310195**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


**KEL-DP 50|20 A bk
round**



Part No. **50552**
EAN **4251269314834**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **black**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


**KEL-DP 50|20 B bk
round**



Part No. **50566**
EAN **4251269314919**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **black**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


**KEL-DP 50|35 A gy
round**



Part No. **43556**
EAN **4251269310126**
Package quantity **10**
For max. no. of cables **35**
Max. cable diameter **5,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **35 x 1 - 5.2 mm**


**KEL-DP 50|35 B gy
round**



Part No. **43570**
EAN **4251269310232**
Package quantity **10**
For max. no. of cables **35**
Max. cable diameter **5,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**


**KEL-DP 50|35 A bk
round**



Part No. **50556**
EAN **4251269314872**
Package quantity **10**
For max. no. of cables **35**
Max. cable diameter **5,2 mm**
Colour **black**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **35 x 1 - 5.2 mm**

**KEL-DP 50|35 B bk
round**



Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50570
4251269314957
10
35
5,2 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
2,8 mm
4 mm
2,8 - 4 mm
35 x 1 - 5.2 mm

icotek[®]
smart cable management