


KT | Cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X*



Cable grommets KT small are used with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

In combination with [KEL-ER cable entry frames](#) and [KVT-ER cable glands](#) the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X*.

The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 13 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

*4X for indoor use only

IP54	IP55	IP64	IP65	IP66	IP67
IP68	UL TYPE 12 ₃	UL TYPE 4X ₃ *	UL	DNV	RIR
HL3 EN 45545-2	E45 E130 EN 45545-3	EN 61373	ECOLAB certified	UV ISO 4892-2A	PNEUMATICS
RoHS compliant	REACH COMPLIANCE	Made in Germany			

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- High strain relief in accordance with EN 62444 when a suitable cable entry is selected
- Available for a large range of cable diameters
- Greatly increased cable density when using [double or quadruple grommets](#)

Product types & sizes

BTK gy




Part No.
EAN
Package quantity
Colour
Length
Width

41251
4251269306686
10
grey (similar RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Blank grommet

19 mm
2 mm
Round cable
1

KT 1 gy





Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width


39941
4251269318146
10
1
grey (similar RAL 7035)
21 mm
21 mm


Height
Mounting height
For cable type
Clamping range


19 mm
2 mm
Round cable
1 x 1 - 2 mm


KT 2 gy	Part No.	39934	Height	19 mm
	EAN	4251269306280	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 2 - 3 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		


KT 3 gy	Part No.	41203	Height	19 mm
	EAN	4251269306389	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 3 - 4 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 4 gy	Part No.	41204	Height	19 mm
	EAN	4251269306396	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 4 - 5 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 5 gy	Part No.	41205	Height	19 mm
	EAN	4251269306402	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 5 - 6 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 6 gy	Part No.	41206	Height	19 mm
	EAN	4251269306419	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 6 - 7 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 7 gy	Part No.	41207	Height	19 mm
	EAN	4251269306426	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 7 - 8 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 8 gy	Part No.	41208	Height	19 mm
	EAN	4251269306433	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 8 - 9 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 9 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41209 4251269306440 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 9 - 10 mm
----------------	--	---	---	---

KT 10 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41210 4251269306457 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 10 - 11 mm
-----------------	--	---	---	--


KT 11 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41211 4251269306464 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 11 - 12 mm
-----------------	--	---	---	--

KT 12 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41212 4251269306471 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 12 - 13 mm
-----------------	--	---	---	--

KT 13 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41213 4251269306488 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 13 - 14 mm
-----------------	--	---	---	--


KT 14 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41214 4251269306495 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 14 - 15 mm
-----------------	--	---	---	--

KT 15 gy




Part No.	41215	Height	19 mm
EAN	4251269306501	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 15 - 16 mm
Colour	grey (similar RAL 7035)		
Length	21 mm		
Width	21 mm		

BTG gy




Part No.	41252	Height	19 mm
EAN	4251269306693	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
Colour	grey (similar RAL 7035)	Blank grommet	1
Length	41,5 mm		
Width	42 mm		

KTG 13 gy




Part No.	41263	Height	19 mm
EAN	4251269331947	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 13 - 14 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KTG 14 gy




Part No.	41264	Height	19 mm
EAN	4251269331954	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 14 - 15 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KTG 15 gy




Part No.	41265	Height	19 mm
EAN	4251269331961	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 15 - 16 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 16 gy



Part No.	41216	Height	19 mm
EAN	4251269306518	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 16 - 17 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		


KT 17 gy



Part No. **41217**
EAN **4251269306525**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 17 - 18 mm


KT 18 gy



Part No. **41218**
EAN **4251269306532**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 18 - 19 mm


KT 19 gy



Part No. **41219**
EAN **4251269306549**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 19 - 20 mm


KT 20 gy



Part No. **41220**
EAN **4251269306556**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 20 - 21 mm


KT 21 gy



Part No. **41221**
EAN **4251269306563**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 21 - 22 mm


KT 22 gy



Part No. **41222**
EAN **4251269306570**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 22 - 23 mm


KT 23 gy



Part No. **41223**
EAN **4251269306587**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 23 - 24 mm**


KT 24 gy



Part No. **41224**
EAN **4251269306594**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 24 - 25 mm**


KT 25 gy



Part No. **41225**
EAN **4251269306600**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 25 - 26 mm**


KT 26 gy



Part No. **41226**
EAN **4251269306617**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 26 - 27 mm**


KT 27 gy



Part No. **41227**
EAN **4251269306624**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 27 - 28 mm**


KT 28 gy



Part No. **41228**
EAN **4251269306631**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 28 - 29 mm**


KT 29 gy



Part No. **41229**
EAN **4251269306648**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 29 - 30 mm**


KT 30 gy



Part No. **41230**
EAN **4251269306655**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 30 - 31 mm**


KT 31 gy



Part No. **41231**
EAN **4251269316784**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 31 - 32 mm**


KT 32 gy



Part No. **41232**
EAN **4251269306662**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 32 - 33 mm**


KT 33 gy



Part No. **41233**
EAN **4251269316791**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 33 - 34 mm**

KT 34 gy



Part No. **41234**
EAN **4251269306679**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 34 - 35 mm**

