

FP flange plates for cable entry systems

suitable for numerous Rittal enclosures / IP54 - IP66



IP54

IP55

IP64

IP65

IP66

RoHS
compliant




Made in
Germany

Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66
Material	Sheet steel, powder coated

Product types & sizes


FP-AX 256|149-1




Part No.	43901	Flange plate	1
EAN	4251269321	size	
Package quantity	351	Cut-out size	112 × 36 mm
Colour	grey (RAL 7035)	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPR 24, KEL-DPFR 24, KEL-DP 24
Length	256 mm		
Width	149 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43902	Flange plate	1
EAN	4251269321	size	
	368	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPR 24, KEL-DPFR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	256 mm		
Width	149 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43905	Flange plate	5
EAN	4251269321	size	
	399	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPR 24, KEL-DPFR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	301 mm		
Width	221 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43906	Flange plate	5
EAN	4251269321	size	
	405	Cut-out size	112 × 36 mm
Package	1	Suitable for	KEL-ER 24,
quantity		cable entry	KEL 24, KEL-
Colour	grey (RAL 7035)	systems:	U 24, KEL-FA
			24, KEL-FG
Length	301 mm		A, KEL-FG-ER
Width	221 mm		A, KEL-
Height	2 mm		QUICK 24,
			KEL-QTA 24,
			KEL-BES 24,
			KEL-BES-S
			24, KEL-DPZ
			24, KEL-DPU
			24, KEL-DPU-
			HD 24, KEL-
			DPFR 24,
			KEL-DPR 24,
			KEL-DP 24
			Rittal AX
		Suitable for enclosure	




Part No.	43840	Flange plate	2
EAN	4251269310	size	
	768	Cut-out size	112 × 36 mm
Package	1	Suitable for	KEL-ER 24,
quantity		cable entry	KEL 24, KEL-
Colour	grey (RAL 7035)	systems:	U 24, KEL-FA
			24, KEL-FG
Length	339 mm		A, KEL-FG-ER
Width	149 mm		A, KEL-
Height	2 mm		QUICK 24,
			KEL-QTA 24,
			KEL-BES 24,
			KEL-BES-S
			24, KEL-DPZ
			24, KEL-DPU
			24, KEL-DPU-
			HD 24, KEL-
			DPFR 24,
			KEL-DPR 24,
			KEL-DP 24
			Rittal TP,
			Rittal CS,
			Rittal AE
		Suitable for enclosure	




Part No.	43846	Flange plate	2
EAN	4251269310782	size	
Package quantity	1	Cut-out size	112 × 36 mm
Colour	grey (RAL 7035)	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Length	339 mm		
Width	149 mm		
Height	2 mm		
		Suitable for enclosure	Rittal TP, Rittal CS, Rittal AE




Part No.	43907	Flange plate	6
EAN	4251269321412	size	
Package quantity	1	Cut-out size	112 × 36 mm
Colour	grey (RAL 7035)	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Length	401 mm		
Width	221 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43908	Flange plate	6
EAN	4251269321	size	
	429	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	401 mm		
Width	221 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43909	Flange plate	7
EAN	4251269321	size	
	436	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	436 mm		
Width	221 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43910	Flange plate	7
EAN	4251269321	size	
	443	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	436 mm		
Width	221 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX



Part No.	43903	Flange plate	3
EAN	4251269321	size	
	375	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	447 mm		
Width	149 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43904	Flange plate	3
EAN	4251269321	size	
	382	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	447 mm		
Width	149 mm		
Height	2 mm		
		Suitable for enclosure	Rittal AX




Part No.	43842	Flange plate	4
EAN	4251269310	size	
	775	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	534 mm		
Width	149 mm		
Height	2 mm		
		Suitable for enclosure	Rittal TP, Rittal IN, Rittal EL, Rittal AE, Rittal AX

FP-AX 534|149-4




Part No.	43871	Flange plate size	4
EAN	4251269310881	Cut-out size	86 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 16, KEL 16, KEL-U 16, KEL-FA 16, KEL-QUICK 16, KEL-SNAP 16, KEL-BES 16, KEL-BES-S 16, KEL-DPZ 16, KEL-DPFR 16, KEL-DP 16
Colour	grey (RAL 7035)		
Length	534 mm		
Width	149 mm		
Height	2 mm	Suitable for enclosure	Rittal TP, Rittal IN, Rittal EL, Rittal AE, Rittal AX


FP-AX 534|149-6




Part No.	43848	Flange plate size	4
EAN	4251269310799	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	534 mm		
Width	149 mm		
Height	2 mm	Suitable for enclosure	Rittal TP, Rittal IN, Rittal EL, Rittal AE, Rittal AX




Part No.	43834	Flange plate	2
EAN	4251269310737	size	
Package quantity	1	Cut-out size	112 × 36 mm
Colour	grey (RAL 7035)	Suitable for cable entry systems:	KEL-ER 24, KEL-24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Length	221 mm		
Width	90 mm		
Height	2 mm		
		Suitable for enclosure	Rittal KX, Rittal KL



Part No.	43855	Flange plate	2
EAN	4251269310836	size	
Package quantity	1	Cut-out size	86 × 36 mm
Colour	grey (RAL 7035)	Suitable for cable entry systems:	KEL 16, KEL-U 16, KEL-FA 16, KEL-QUICK 16, KEL-SNAP 16, KEL-DPZ 16, KEL-DPFR 16, KEL-DP 16, KEL-BES 16, KEL-BES-S 16
Length	221 mm		
Width	90 mm		
Height	1 mm		
		Suitable for enclosure	Rittal KX, Rittal KL




Part No.	43853	Flange plate	2
EAN	4251269310	size	
	812	Cut-out size	65 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL 10, KEL-U 10, KEL-FA 10, KEL-QUICK 10, KEL-SNAP 10, KEL-DPZ 10, KEL-DP 10, KEL-BES 10, KEL-BES-S 10
Colour	grey (RAL 7035)		
Length	221 mm		
Width	90 mm		
Height	1 mm		
		Suitable for enclosure	Rittal KX, Rittal KL



Part No.	43852	Flange plate	2
EAN	4251269310	size	
	805	Cut-out size	46 × 46 mm
Package quantity	1	Cut-out size, round	40,4 mm
Colour	grey (RAL 7035)	Suitable for cable entry systems:	KEL-B, KEL-U-B, KEL-QUICK-B, KEL-SNAP-B, KEL-DPZ-B, KEL-DPZ 40, KEL-DPZ-HD 40, KEL-DPZ-CLICK 40, KEL-SCDP-TR 40, KEL-DPF 40
Length	221 mm		
Width	90 mm		
Height	2 mm		
		Suitable for enclosure	Rittal KX, Rittal KL


FP-KX/KL 221×90|B

Part No.	43854	Flange plate	2
EAN	4251269310829	size	
		Cut-out size	46 × 46 mm
Package quantity	1	Suitable for cable entry systems:	2 × KEL-SNAP-B, 1 ×
Colour	grey (RAL 7035)	Suitable for enclosure	KEL-DPZ-B Rittal KX, Rittal KL
Length	221 mm		
Width	90 mm		
Height	2 mm		




FP-KX/KL 221×90|C

Part No.	43856	Flange plate	2
EAN	4251269310843	size	
		Cut-out size	46 × 46 mm
Package quantity	1	Suitable for cable entry systems:	KEL-B / KEL-U-B / KEL-QUICK-B /
Colour	grey (RAL 7035)	Suitable for enclosure	KEL-DPZ-B Rittal KX, Rittal KL
Length	221 mm		
Width	90 mm		
Height	2 mm		




FP-BG 355×92-2



Part No.	43866	Cut-out size	112 × 36 mm
EAN	4251269310874	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Package quantity	1		
Colour	grey (RAL 7035)		
Length	355 mm		
Width	92 mm		
Height	2 mm		
		Suitable for enclosure	Rittal BG


FP-BG 555×92-3



Part No.	43865	Flange plate size	6
EAN	4251269310867	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	555 mm		
Width	92 mm		
Height	2 mm		
		Suitable for enclosure	Rittal IN, Rittal BG


FP-FL 21


Part No.	43832	Cut-out size	112 × 36 mm
EAN	4251269310720	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Package quantity	1		
Colour	grey (RAL 7035)		
Length	214 mm		
Width	88 mm		
Height	2 mm		
		Suitable for enclosure	Fibox




FP-AE-24 330|90

Part No.	43838	Flange plate size	3
EAN	4251269310751	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 24, KEL 24, KEL-U 24, KEL-FA 24, KEL-FG A, KEL-FG-ER A, KEL-QUICK 24, KEL-QTA 24, KEL-BES 24, KEL-BES-S 24, KEL-DPZ 24, KEL-DPU 24, KEL-DPU-HD 24, KEL-DPFR 24, KEL-DPR 24, KEL-DP 24
Colour	grey (RAL 7035)		
Length	330		
Width	90		
Height	2 mm		
		Suitable for enclosure	Rittal AE





Part No.	43861	Flange plate	3
EAN	4251269310	size	
	850	Cut-out size	86 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-ER 16, KEL 16, KEL-U 16, KEL-FA 16, KEL-QUICK 16, KEL-SNAP 16, KEL-BES 16, KEL-BES-S 16, KEL-DPZ 16, KEL-DPFR 16, KEL-DP 16
Colour	grey (RAL 7035)		Rittal AE
Length	330 mm		
Width	90 mm		
Height	2 mm		
		Suitable for enclosure	



Part No.	43836	Flange plate	1
EAN	4251269310	size	
	744	Cut-out size	112 × 36 mm
Package quantity	1	Suitable for cable entry systems:	KEL-QTA 24, KEL-DP 24
Colour	grey (RAL 7035)	Suitable for enclosure	Rittal AE
Length	160 mm		
Width	70 mm		
Height	2 mm		