


EMC shield clamps for bus modules

with plug-in mounting function



The EMC shield clamp provides strain relief, cable guidance and earthing for decentralised bus modules of numerous manufacturers. The STFZ2 types are used for analogue I/O modules using two actuators / sensors.

Type STFZ|SKL is suitable for:

Bosch Rexroth: IP20 Inline Module

PHOENIX CONTACT: All terminals of the INLINE range. The terminals 1.4 and 2.4 must not be used for signal I/O.

Pilz: All PSSu-Modules with shield terminals 13 and 23

Siemens: All terminals of the ET200s range. Terminals 4 and 8 must not be used for signal I/O.

TURCK: All terminals of the BL20 I/O system.

VIPA SLIO: All terminals of the SLIO range. Terminals 4+8 must not be used for signal I/O.

WAGO: All terminals of the WAGO I/O Systems 750. Terminals 4 and 8 must not be used for signal I/O.

Rockwell Automation / Allen-Bradley: Series 1734

The STFZ I/O Insert Tool can be used for quick and easy mounting of STFZ terminal clamps.

Type STFZ-SP|SKL is suitable for:

Siemens: SIMATIC ET 200SP

Type STFZ-U|SKL is suitable for:

BECKHOFF: EL 3122, ES 3122, ES 9100, ES 9410, KL 1114, KS 2134

Specifications

Material	Shield clamp: Spring steel, zinc plated Snap foot: Mild steel, galvanically zinc plated
Properties	vibration proof
Mounting options	Snap-in


Advantages & benefits

- Large contact area
- Shield contact and strain relief separated
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Earthing of signal cables close to the terminal
- Strain relief and cable management directly on the bus module

Product types & sizes


STFZ-SP|SKL 1.5-3


Part No.	37512.1	Shield	1,5 - 3 mm
EAN	4251269305696	diameter	
		Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET 200SP	Length	26,5 mm
		Strain relief	Yes
No. of shield	1	function	
clamps		Width	11,8 mm
Shield clamp	SKL	Height	32,9 mm
type			
For max. no. of	1		
cables			




STFZ-SP|SKL 3-6

Part No.	37512.2	Shield	3 - 6 mm
EAN	4251269305702	diameter	
		Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET 200SP	Length	26,5 mm
		Strain relief	Yes
No. of shield	1	function	
clamps		Width	11,8 mm
Shield clamp	SKL	Height	33,6 mm
type			
For max. no. of	1		
cables			






Part No.	37512.3	Shield	6 - 8 mm
EAN	4251269305	diameter	
	719	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	26,5 mm
	200SP	Strain relief	Yes
No. of shield	1	function	
clamps		Width	11,8 mm
Shield clamp	SKL	Height	35 mm
type			
For max. no. of	1		
cables			




Part No.	37507.01	Shield	- 1,5 - 3 mm
EAN	4251269305	diameter	
	511	Length	36,5 mm
Package	10	Min. shield	1,5 mm
quantity		diam. pos. 2	
Suitable for I/O	Siemens	Max. shield	3 mm
modules	SIMATIC ET	diam. pos. 2	
	200SP	Strain relief	Yes
No. of shield	1	function	
clamps		Width	15,9 mm
Shield clamp	SKL	Height	32,9 mm
type			
For max. no. of	1		
cables			

STFZ2-SP|02




Part No.	37507.02	Shield diameter	- 3 - 6 mm
EAN	4251269305	Length	36,5 mm
Package quantity	10	Min. shield diam. pos. 2	3 mm
Suitable for I/O modules	Siemens SIMATIC ET 200SP	Max. shield diam. pos. 2	6 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	15,9 mm
For max. no. of cables		Height	33,6 mm

STFZ2-SP|03




Part No.	37507.03	Shield diameter	- 6 - 8 mm
EAN	4251269305	Length	36,5 mm
Package quantity	10	Min. shield diam. pos. 2	6 mm
Suitable for I/O modules	Siemens SIMATIC ET 200SP	Max. shield diam. pos. 2	8 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	15,9 mm
For max. no. of cables		Height	35 mm

STFZ2-SP|10



Part No.	37507.10	Shield diameter	1,5 - 3 mm -
EAN	4251269305542	Min. shield diam. pos. 1	1,5 mm
Package quantity	10	Max. shield diam. pos. 1	3 mm
Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	15,9 mm
For max. no. of cables		Height	32,9 mm


STFZ2-SP|20



Part No.	37507.20	Shield diameter	3 - 6 mm -
EAN	4251269305580	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
No. of shield clamps	1	Strain relief function	Yes
Shield clamp type	SKL	Width	15,9 mm
For max. no. of cables		Height	33,6 mm


STFZ2-SP|30

Part No.	37507.30	Min. shield	6 mm
EAN	4251269305	diam. pos. 1	
	627	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	36,5 mm
Suitable for I/O modules	Siemens SIMATIC ET 200SP	Strain relief function	Yes
No. of shield clamps	1	Width	15,9 mm
Shield clamp type	SKL	Height	35 mm
For max. no. of cables	1		




STFZ2-SP|11

Part No.	37507.11	Shield	1,5 - 3 mm
EAN	4251269305	diameter	1,5 - 3 mm
	559	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O modules	Siemens SIMATIC ET 200SP	diam. pos. 1	
No. of shield clamps	2	Length	36,5 mm
Shield clamp type	SKL	Min. shield	1,5 mm
For max. no. of cables	2	diam. pos. 2	
		Max. shield	3 mm
		diam. pos. 2	
		Strain relief function	Yes
		Width	15,9 mm
		Height	32,9 mm




STFZ2-SP|12




Part No.	37507.12	Shield	1,5 - 3 mm
EAN	4251269305	diameter	3 - 6 mm
	566	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	6 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	33,6 mm


STFZ2-SP|13




Part No.	37507.13	Shield	1,5 - 3 mm
EAN	4251269305	diameter	6 - 8 mm
	573	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	8 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	35 mm




Part No.	37507.21	Shield	3 - 6 mm
EAN	4251269305	diameter	1,5 - 3 mm
	597	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	1,5 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	3 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	33,6 mm




Part No.	37507.22	Shield	3 - 6 mm 3 -
EAN	4251269305	diameter	6 mm
	603	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	6 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	33,6 mm




Part No.	37507.23	Shield	3 - 6 mm 6 -
EAN	4251269305	diameter	8 mm
	610	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	8 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	35 mm




Part No.	37507.31	Shield	6 - 8 mm
EAN	4251269305	diameter	1,5 - 3 mm
	634	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	1,5 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	3 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	35 mm




Part No.	37507.32	Shield	6 - 8 mm 3 -
EAN	4251269305	diameter	6 mm
	641	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	6 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	35 mm




Part No.	37507.33	Shield	6 - 8 mm 6 -
EAN	4251269305	diameter	8 mm
	658	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O	Siemens	diam. pos. 1	
modules	SIMATIC ET	Length	36,5 mm
	200SP	Min. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Max. shield	8 mm
Shield clamp	SKL	diam. pos. 2	
type		Strain relief	Yes
For max. no. of	2	function	
cables		Width	16,8 mm
		Height	35 mm




Part No.	37514.1	Shield	1,5 - 3 mm
EAN	4251269305	diameter	
	726	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O	Beckhoff	diam. pos. 1	
modules	EL/ES 3122,	Length	35,5 mm
	ES 9100, ES	Strain relief	Yes
	9410, KL	function	
	1114, KS	Width	11,8 mm
	2134, Omron	Height	29,9 mm
	NX		
No. of shield	1		
clamps			
Shield clamp	SKL		
type			
For max. no. of	1		
cables			




Part No.	37514.2	Shield	3 - 6 mm
EAN	4251269305	diameter	
	733	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O	Beckhoff	diam. pos. 1	
modules	EL/ES 3122,	Length	35,5 mm
	ES 9100, ES	Strain relief	Yes
	9410, KL	function	
	1114, KS	Width	11,8 mm
	2134, Omron	Height	30,6 mm
	NX		
No. of shield	1		
clamps			
Shield clamp	SKL		
type			
For max. no. of	1		
cables			




Part No.	37514.3	Shield	6 - 8 mm
EAN	4251269305	diameter	
	740	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O modules	Beckhoff	diam. pos. 1	
	EL/ES 3122,	Length	35,5 mm
	ES 9100, ES	Strain relief	Yes
	9410, KL	function	
	1114, KS	Width	11,8 mm
	2134, Omron	Height	31,6 mm
	NX		
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37510.1	Shield	1,5 - 3 mm
EAN	4251269305	diameter	
	665	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	26,5 mm
	Inline (IP20),	Strain relief	Yes
	Phoenix	function	
	Contact	Width	11,8 mm
	Inline, Pilz	Height	32,9 mm
	PSSu,		
	Siemens		
	ET200s,		
	TURCK BL20,		
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37510.2	Shield diameter	3 - 6 mm
EAN	4251269305672	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	26,5 mm
		Strain relief function	Yes
		Width	11,8 mm
		Height	33,6 mm
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37510.3	Shield diameter	6 - 8 mm
EAN	4251269305689	Min. shield diam. pos. 1	6 mm
Package quantity	10	Max. shield diam. pos. 1	8 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	26,5 mm
		Strain relief function	Yes
		Width	11,8 mm
		Height	35 mm
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37505.01	Shield	- 1,5 - 3 mm
EAN	4251269305	diameter	
	368	Length	36 mm
Package	10	Min. shield	1,5 mm
quantity		diam. pos. 2	
Suitable for I/O	Bosch	Max. shield	3 mm
modules	Rexroth	diam. pos. 2	
	Inline (IP20),	Strain relief	Yes
	Phoenix	function	
	Contact	Width	16 mm
	Inline, Pilz	Height	33 mm
	PSSu,		
	Siemens		
	ET200s,		
	TURCK BL20,		
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield	1		
clamps			
Shield clamp	SKL		
type			
For max. no. of	1		
cables			




Part No.	37505.02	Shield	- 3 - 6 mm
EAN	4251269305	diameter	
	375	Length	36 mm
Package	10	Min. shield	3 mm
quantity		diam. pos. 2	
Suitable for I/O	Bosch	Max. shield	6 mm
modules	Rexroth	diam. pos. 2	
	Inline (IP20),	Strain relief	Yes
	Phoenix	function	
	Contact	Width	16 mm
	Inline, Pilz	Height	34 mm
	PSSu,		
	Siemens		
	ET200s,		
	TURCK BL20,		
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield	1		
clamps			
Shield clamp	SKL		
type			
For max. no. of	1		
cables			




Part No.	37505.03	Shield diameter	- 6 - 8 mm
EAN	4251269305382	Length	36 mm
Package quantity	10	Min. shield diam. pos. 2	6 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Max. shield diam. pos. 2	8 mm
		Strain relief function	Yes
		Width	16 mm
		Height	35 mm
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37505.10	Shield diameter	1,5 - 3 mm -
EAN	4251269305399	Min. shield diam. pos. 1	1,5 mm
Package quantity	10	Max. shield diam. pos. 1	3 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
		Strain relief function	Yes
		Width	16 mm
		Height	33 mm
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37505.20	Shield	3 - 6 mm -
EAN	4251269305	diameter	
	436	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Strain relief	Yes
	Phoenix	function	
	Contact	Width	16 mm
	Inline, Pilz	Height	34 mm
	PSSu,		
	Siemens		
	ET200s,		
	TURCK BL20,		
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37505.30	Min. shield	6 mm
EAN	4251269305	diam. pos. 1	
	474	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	36 mm
Suitable for I/O modules	Bosch	Strain relief	Yes
	Rexroth	function	
	Inline (IP20),	Width	16 mm
	Phoenix	Height	35 mm
	Contact		
	Inline, Pilz		
	PSSu,		
	Siemens		
	ET200s,		
	TURCK BL20,		
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	1		
Shield clamp type	SKL		
For max. no. of cables	1		




Part No.	37505.11	Shield	1,5 - 3 mm
EAN	4251269305	diameter	1,5 - 3 mm
	405	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	1,5 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	3 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	33 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		




Part No.	37505.12	Shield	1,5 - 3 mm
EAN	4251269305	diameter	3 - 6 mm
	412	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	3 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	6 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	34 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		




Part No.	37505.13	Shield	1,5 - 3 mm
EAN	4251269305	diameter	6 - 8 mm
	429	Min. shield	1,5 mm
Package	10	diam. pos. 1	
quantity		Max. shield	3 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	6 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	8 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	35 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		




Part No.	37505.21	Shield	3 - 6 mm
EAN	4251269305	diameter	1,5 - 3 mm
	443	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	1,5 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	3 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	34 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		




Part No.	37505.22	Shield	3 - 6 mm 3 -
EAN	4251269305	diameter	6 mm
	450	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	3 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	6 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	34 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		




Part No.	37505.23	Shield	3 - 6 mm 6 -
EAN	4251269305	diameter	8 mm
	467	Min. shield	3 mm
Package	10	diam. pos. 1	
quantity		Max. shield	6 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	6 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	8 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	35 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		



Part No.	37505.31	Shield	6 - 8 mm
EAN	4251269305	diameter	1,5 - 3 mm
	481	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O	Bosch	diam. pos. 1	
modules	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	1,5 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	3 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	35 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield	2		
clamps			
Shield clamp	SKL		
type			
For max. no. of	2		
cables			



Part No.	37505.32	Shield	6 - 8 mm 3 -
EAN	4251269305	diameter	6 mm
	498	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O	Bosch	diam. pos. 1	
modules	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	3 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	6 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	35 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield	2		
clamps			
Shield clamp	SKL		
type			
For max. no. of	2		
cables			



Part No.	37505.33	Shield	6 - 8 mm 6 -
EAN	4251269305	diameter	8 mm
	504	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	6 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	8 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	35 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield	2		
clamps			
Shield clamp	SKL		
type			
For max. no. of	2		
cables			

STFZ I/O Insert Tool



Part No.	61430
EAN	
Package	1
quantity	