


KT CR | cable grommets

for the use in cleanrooms, 1 - 35 mm / IP66 / IP68 / UL Type 12/4X*



IP54	IP55	IP64	IP65	IP66	IP67
IP68	UL TYPE 12	UL TYPE 4X	UL US	DNV	RIR
HL3 EN 45545-2	E45 Ei30 EN 45545-3	EN 61373	ECOLAB certified	UV ISO 4892-2A	EN ISO 14644
PNEUMATICS	RoHS compliant	REACH COMPLIANCE	Made in Germany		

Cable grommets KT CR small are used with the following cleanroom cable entry components:

- [KEL-ER CR cable entry frames](#)
- [KEL-U CR cable entry frames](#)

In combination with KEL-ER CR cable entry frames the KT CR single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X*.

The model range KT CR small is designed for cable diameters from 1 to 17 mm. Cable grommets KT CR large accept a wide range of cable diameters from 16 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

*4X for indoor use only

Specifications








IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits


- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets

Product types & sizes

BTK CR gy				BTK CR (S)VOC gy			
	Part No.	41251.601	Height	19 mm		Part No.	41251.600
	EAN	4251269326455	Mounting height	2 mm		EAN	4251269325441
	Package quantity	10	For cable type	Round cable		Package quantity	10
	Colour	grey (similar RAL 7035)	Blank grommet	1		Colour	grey (similar RAL 7035)
	Length	21 mm				Length	21 mm
	Width	21 mm				Width	21 mm

KT 1 CR gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	39941.601 4251269326318 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 1 - 2 mm
KT 1 CR (S)VOC gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	39941.600 4251269326196 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 1 - 2 mm
KT 2 CR gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	39934.601 4251269326301 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 2 - 3 mm
KT 2 CR (S)VOC gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	39934.600 4251269326189 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 2 - 3 mm
KT 3 CR gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41203.601 4251269326325 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 3 - 4 mm
KT 3 CR (S)VOC gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41203.600 4251269326202 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 3 - 4 mm
KT 4 CR gy 	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41204.601 4251269326332 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 4 - 5 mm


KT 4 CR (S)VOC gy



Part No. **41204.600**
EAN **4251269326219**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 4 - 5 mm**


KT 5 CR gy



Part No. **41205.601**
EAN **4251269326349**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 5 - 6 mm**


KT 5 CR (S)VOC gy



Part No. **41205.600**
EAN **4251269325397**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 5 - 6 mm**


KT 6 CR gy



Part No. **41206.601**
EAN **4251269326356**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 6 - 7 mm**


KT 6 CR (S)VOC gy



Part No. **41206.600**
EAN **4251269325403**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 6 - 7 mm**


KT 7 CR gy



Part No. **41207.601**
EAN **4251269326363**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 7 - 8 mm**


KT 7 CR (S)VOC gy



Part No. **41207.600**
EAN **4251269326226**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 7 - 8 mm**


KT 8 CR gy



Part No. **41208.601**
EAN **4251269326370**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 8 - 9 mm**


KT 8 CR (S)VOC gy



Part No. **41208.600**
EAN **4251269326233**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 8 - 9 mm**


KT 9 CR gy



Part No. **41209.601**
EAN **4251269326387**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 9 - 10 mm**


KT 9 CR (S)VOC gy



Part No. **41209.600**
EAN **4251269326240**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 9 - 10 mm**


KT 10 CR gy



Part No. **41210.601**
EAN **4251269326394**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 10 - 11 mm**


KT 10 CR (S)VOC gy



Part No. **41210.600**
EAN **4251269326257**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 10 - 11 mm


KT 11 CR gy



Part No. **41211.601**
EAN **4251269326400**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 11 - 12 mm


KT 11 CR (S)VOC gy



Part No. **41211.600**
EAN **4251269325410**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 11 - 12 mm


KT 12 CR gy



Part No. **41212.601**
EAN **4251269326417**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 12 - 13 mm


KT 12 CR (S)VOC gy



Part No. **41212.600**
EAN **4251269325427**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 12 - 13 mm


KT 13 CR gy



Part No. **41213.601**
EAN **4251269326424**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 13 - 14 mm


KT 13 CR (S)VOC gy



Part No. **41213.600**
EAN **4251269326264**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 13 - 14 mm**


KT 14 CR gy



Part No. **41214.601**
EAN **4251269326431**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 14 - 15 mm**


KT 14 CR (S)VOC gy



Part No. **41214.600**
EAN **4251269326271**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 14 - 15 mm**


KT 15 CR gy



Part No. **41215.601**
EAN **4251269326448**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 15 - 16 mm**


KT 15 CR (S)VOC gy



Part No. **41215.600**
EAN **4251269325434**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 15 - 16 mm**


BTG CR gy



Part No. **41252.601**
EAN **4251269327124**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Blank grommet **1**

BTG CR (S)VOC gy




Part No. **41252.600**
EAN **4251269326912**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Blank grommet

19 mm
2 mm
Round cable
1

KT 16 CR gy




Part No. **41216.601**
EAN **4251269326936**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 16 - 17 mm

KT 16 CR (S)VOC gy




Part No. **41216.600**
EAN **4251269326721**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 16 - 17 mm

KT 17 CR gy




Part No. **41217.601**
EAN **4251269326943**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 17 - 18 mm

KT 17 CR (S)VOC gy




Part No. **41217.600**
EAN **4251269326738**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 17 - 18 mm

KT 18 CR gy




Part No. **41218.601**
EAN **4251269326950**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 18 - 19 mm


KT 18 CR (S)VOC gy



Part No. **41218.600**
EAN **4251269326745**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 18 - 19 mm


KT 19 CR gy



Part No. **41219.601**
EAN **4251269326967**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 19 - 20 mm


KT 19 CR (S)VOC gy



Part No. **41219.600**
EAN **4251269326752**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 19 - 20 mm


KT 20 CR (S)VOC gy



Part No. **41220.600**
EAN **4251269326769**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 20 - 21 mm


KT 20 CR gy



Part No. **41220.601**
EAN **4251269326974**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 20 - 21 mm


KT 21 CR (S)VOC gy



Part No. **41221.600**
EAN **4251269326776**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 21 - 22 mm


KT 21 CR gy



Part No. **41221.601**
EAN **4251269326981**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 21 - 22 mm


KT 22 CR gy



Part No. **41222.601**
EAN **4251269326998**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 22 - 23 mm


KT 22 CR (S)VOC gy



Part No. **41222.600**
EAN **4251269326783**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 22 - 23 mm


KT 23 CR gy



Part No. **41223.601**
EAN **4251269327001**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 23 - 24 mm


KT 23 CR (S)VOC gy



Part No. **41223.600**
EAN **4251269326790**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 23 - 24 mm


KT 24 CR gy



Part No. **41224.601**
EAN **4251269327018**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**


Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 24 - 25 mm

KT 24 CR (S)VOC gy




Part No.	41224.600	Height	19 mm
EAN	4251269326806	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 24 - 25 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 25 CR gy




Part No.	41225.601	Height	19 mm
EAN	4251269327025	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 25 - 26 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 25 CR (S)VOC gy




Part No.	41225.600	Height	19 mm
EAN	4251269326813	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 25 - 26 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 26 CR gy




Part No.	41226.601	Height	19 mm
EAN	4251269327032	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 26 - 27 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 26 CR (S)VOC gy




Part No.	41226.600	Height	19 mm
EAN	4251269326820	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 26 - 27 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 27 CR gy



Part No.	41227.601	Height	19 mm
EAN	4251269327049	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 27 - 28 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		


KT 27 CR (S)VOC gy



Part No. **41227.600**
EAN **4251269326837**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 27 - 28 mm


KT 28 CR (S)VOC gy



Part No. **41228.600**
EAN **4251269326844**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 28 - 29 mm


KT 28 CR gy



Part No. **41228.601**
EAN **4251269327056**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 28 - 29 mm


KT 29 CR (S)VOC gy



Part No. **41229.600**
EAN **4251269326851**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 29 - 30 mm


KT 29 CR gy



Part No. **41229.601**
EAN **4251269327063**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 29 - 30 mm


KT 30 CR (S)VOC gy



Part No. **41230.600**
EAN **4251269326868**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 30 - 31 mm


KT 30 CR gy



Part No. **41230.601**
EAN **4251269327070**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 30 - 31 mm


KT 31 CR (S)VOC gy



Part No. **41231.600**
EAN **4251269326875**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 31 - 32 mm


KT 31 CR gy



Part No. **41231.601**
EAN **4251269327087**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 31 - 32 mm


KT 32 CR gy



Part No. **41232.601**
EAN **4251269327094**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 32 - 33 mm


KT 32 CR (S)VOC gy



Part No. **41232.600**
EAN **4251269326882**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 32 - 33 mm


KT 33 CR gy



Part No. **41233.601**
EAN **4251269327100**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
1 x 33 - 34 mm

KT 33 CR (S)VOC gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41233.600
4251269326899
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 33 - 34 mm

KT 34 CR (S)VOC gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41234.600
4251269326905
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 34 - 35 mm

KT 34 CR gy



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41234.601
4251269327117
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 34 - 35 mm