


# Flat gaskets

## for cable entry frames



A flat gasket is provided to ensure a clean seal between the cable entry frame and the enclosure / control panel wall. Although this gasket is included in delivery, it can also be ordered separately. The standard gaskets for our KEL cable entry frames are self-adhesive on one side. This facilitates the alignment and assembly of the gasket.

### Advantages & Benefits

- Clean seal between the cable entry frame and the enclosure / control panel wall
- Self-adhesive for easier alignment and assembly


### Product Types & Sizes

|                      |                  |               |                                   |                              |
|----------------------|------------------|---------------|-----------------------------------|------------------------------|
| <div>Gasket 24</div> | Part No.         | 42246         | Cut-out size                      | 112 × 36 mm                  |
|                      | EAN              | 4251269332647 | No. of screw holes                | 4                            |
|                      | Package quantity | 1             | Diam. of screw holes              | 6 mm                         |
|                      | Length           | 145 mm        | Color                             | black                        |
|                      | Width            | 56 mm         | Suitable for cable entry systems: | KEL 24, KEL-U 24, KEL-ER 24, |
|                      | Height           | 2,5 mm        |                                   | KEL-QUICK 24, KEL-FG-A,      |
|                      | Mounting height  | 2,5 mm        |                                   | KEL-FG-ER A                  |

|                        |                  |               |                                   |             |
|------------------------|------------------|---------------|-----------------------------------|-------------|
| <div>Gasket 24-E</div> | Part No.         | 42254         | Cut-out size                      | 112 × 66 mm |
|                        | EAN              | 4251269332678 | No. of screw holes                | 4           |
|                        | Package quantity | 1             | Diam. of screw holes              | 6 mm        |
|                        | Length           | 143 mm        | Color                             | black       |
|                        | Width            | 83 mm         | Suitable for cable entry systems: | KEL 24-E    |
|                        | Height           | 3 mm          |                                   |             |
|                        | Mounting height  | 3 mm          |                                   |             |

|                         |                  |               |                                   |             |
|-------------------------|------------------|---------------|-----------------------------------|-------------|
| <div>Gasket 24-MT</div> | Part No.         | 42253         | Cut-out size                      | 112 × 82 mm |
|                         | EAN              | 4251269332661 | No. of screw holes                | 6           |
|                         | Package quantity | 1             | Diam. of screw holes              | 6 mm        |
|                         | Length           | 143 mm        | Color                             | black       |
|                         | Width            | 100 mm        | Suitable for cable entry systems: | KEL 24-MT   |
|                         | Height           | 3 mm          |                                   |             |
|                         | Mounting height  | 3 mm          |                                   |             |


Gasket 24-2MT



|                  |                      |
|------------------|----------------------|
| Part No.         | <b>42255</b>         |
| EAN              | <b>4251269332685</b> |
| Package quantity | <b>1</b>             |
| Length           | <b>143 mm</b>        |
| Width            | <b>144,5 mm</b>      |
| Height           | <b>3 mm</b>          |
| Mounting height  | <b>3 mm</b>          |

|                                   |                     |
|-----------------------------------|---------------------|
| Cut-out size                      | <b>112 × 126 mm</b> |
| No. of screw holes                | <b>8</b>            |
| Diam. of screw holes              | <b>6 mm</b>         |
| Color                             | <b>black</b>        |
| Suitable for cable entry systems: | <b>KEL 24-2MT</b>   |


Gasket 16



|                  |                      |
|------------------|----------------------|
| Part No.         | <b>42170</b>         |
| EAN              | <b>4251269332616</b> |
| Package quantity | <b>1</b>             |
| Length           | <b>118 mm</b>        |
| Width            | <b>56 mm</b>         |
| Height           | <b>3 mm</b>          |
| Mounting height  | <b>3 mm</b>          |

|                                   |                                                  |
|-----------------------------------|--------------------------------------------------|
| Cut-out size                      | <b>86 × 36 mm</b>                                |
| No. of screw holes                | <b>4</b>                                         |
| Diam. of screw holes              | <b>6 mm</b>                                      |
| Color                             | <b>black</b>                                     |
| Suitable for cable entry systems: | <b>KEL 16, KEL-U 16, KEL-ER 16, KEL-QUICK 16</b> |


Gasket 16-E



|                  |                      |
|------------------|----------------------|
| Part No.         | <b>42142</b>         |
| EAN              | <b>4251269332586</b> |
| Package quantity | <b>1</b>             |
| Length           | <b>118 mm</b>        |
| Width            | <b>83 mm</b>         |
| Height           | <b>3 mm</b>          |
| Mounting height  | <b>3 mm</b>          |

|                                   |                   |
|-----------------------------------|-------------------|
| Cut-out size                      | <b>86 × 66 mm</b> |
| No. of screw holes                | <b>4</b>          |
| Diam. of screw holes              | <b>6 mm</b>       |
| Color                             | <b>black</b>      |
| Suitable for cable entry systems: | <b>KEL 16-E</b>   |


Gasket 16-MT



|                  |                      |
|------------------|----------------------|
| Part No.         | <b>42146</b>         |
| EAN              | <b>4251269332593</b> |
| Package quantity | <b>1</b>             |
| Length           | <b>118 mm</b>        |
| Width            | <b>100 mm</b>        |
| Height           | <b>3 mm</b>          |
| Mounting height  | <b>3 mm</b>          |

|                                   |                   |
|-----------------------------------|-------------------|
| Cut-out size                      | <b>86 × 82 mm</b> |
| No. of screw holes                | <b>6</b>          |
| Diam. of screw holes              | <b>6 mm</b>       |
| Color                             | <b>black</b>      |
| Suitable for cable entry systems: | <b>KEL 16-MT</b>  |


Gasket 16-2MT



|                  |                      |
|------------------|----------------------|
| Part No.         | <b>42150</b>         |
| EAN              | <b>4251269332609</b> |
| Package quantity | <b>1</b>             |
| Length           | <b>118 mm</b>        |
| Width            | <b>144,5 mm</b>      |
| Height           | <b>3 mm</b>          |
| Mounting height  | <b>3 mm</b>          |





|                                   |                    |
|-----------------------------------|--------------------|
| Cut-out size                      | <b>86 × 126 mm</b> |
| No. of screw holes                | <b>8</b>           |
| Diam. of screw holes              | <b>6 mm</b>        |
| Color                             | <b>black</b>       |
| Suitable for cable entry systems: | <b>KEL 16-2MT</b>  |

Gasket 10




|                  |                      |
|------------------|----------------------|
| Part No.         | <b>42257</b>         |
| EAN              | <b>4251269332708</b> |
| Package quantity | <b>1</b>             |
| Length           | <b>98,3 mm</b>       |
| Width            | <b>58 mm</b>         |
| Height           | <b>2,5 mm</b>        |
| Mounting height  | <b>2,5 mm</b>        |

|                                   |                                                  |
|-----------------------------------|--------------------------------------------------|
| Cut-out size                      | <b>65 × 36 mm</b>                                |
| No. of screw holes                | <b>4</b>                                         |
| Diam. of screw holes              | <b>6 mm</b>                                      |
| Color                             | <b>black</b>                                     |
| Suitable for cable entry systems: | <b>KEL 10, KEL-U 10, KEL-ER 10, KEL-QUICK 10</b> |


|                                                                                                               |                  |                      |                                   |                                                                           |
|---------------------------------------------------------------------------------------------------------------|------------------|----------------------|-----------------------------------|---------------------------------------------------------------------------|
| <b>Gasket B</b><br><br>        | Part No.         | <b>42452</b>         | Cut-out size                      | <b>46 × 46 mm</b>                                                         |
|                                                                                                               | EAN              | <b>4251269332746</b> | No. of screw holes                | <b>4</b>                                                                  |
|                                                                                                               | Package quantity | <b>10</b>            | Diam. of screw holes              | <b>6 mm</b>                                                               |
|                                                                                                               | Length           | <b>70,8 mm</b>       | Color                             | <b>black</b>                                                              |
|                                                                                                               | Width            | <b>56 mm</b>         | Suitable for cable entry systems: | <b>KEL-B, KEL-U-B, KEL-ER-B</b>                                           |
|                                                                                                               | Height           | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               | Mounting height  | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               |                  |                      |                                   |                                                                           |
| <b>Gasket QUICK-B</b><br><br> | Part No.         | <b>42451</b>         | Cut-out size                      | <b>46 × 46 mm</b>                                                         |
|                                                                                                               | EAN              |                      | No. of screw holes                | <b>4</b>                                                                  |
|                                                                                                               | Package quantity | <b>1</b>             | Diam. of screw holes              | <b>9,5 mm</b>                                                             |
|                                                                                                               | Length           | <b>72,85 mm</b>      | Color                             | <b>black</b>                                                              |
|                                                                                                               | Width            | <b>55,6 mm</b>       | Suitable for cable entry systems: | <b>KEL-QUICK-B</b>                                                        |
|                                                                                                               | Height           | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               | Mounting height  | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               |                  |                      |                                   |                                                                           |
| <b>Gasket FG-B</b><br><br>    | Part No.         | <b>42331</b>         | Cut-out size                      | <b>46 × 46 mm</b>                                                         |
|                                                                                                               | EAN              | <b>4251269332715</b> | No. of screw holes                | <b>4</b>                                                                  |
|                                                                                                               | Package quantity | <b>1</b>             | Diam. of screw holes              | <b>9,5 mm</b>                                                             |
|                                                                                                               | Length           | <b>72,85 mm</b>      | Color                             | <b>black</b>                                                              |
|                                                                                                               | Width            | <b>55,6 mm</b>       | Suitable for cable entry systems: | <b>KEL-FG-B, KEL-FG-ER B</b>                                              |
|                                                                                                               | Height           | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               | Mounting height  | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               |                  |                      |                                   |                                                                           |
| <b>Gasket E5</b><br><br>    | Part No.         | <b>42251</b>         | Cut-out size                      | <b>112 × 24 mm</b>                                                        |
|                                                                                                               | EAN              | <b>4251269332654</b> | No. of screw holes                | <b>2</b>                                                                  |
|                                                                                                               | Package quantity | <b>1</b>             | Diam. of screw holes              | <b>6 mm</b>                                                               |
|                                                                                                               | Length           | <b>147 mm</b>        | Color                             | <b>black</b>                                                              |
|                                                                                                               | Width            | <b>40 mm</b>         | Suitable for cable entry systems: | <b>KEL-E5, KEL-ER-E5, KEL-QUICK-E5, KEL-FG-E5, KEL-FG-ER E5, KEL-FL 4</b> |
|                                                                                                               | Height           | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               | Mounting height  | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               |                  |                      |                                   |                                                                           |
| <b>Gasket E4</b><br><br>    | Part No.         | <b>42198</b>         | Cut-out size                      | <b>86 × 24 mm</b>                                                         |
|                                                                                                               | EAN              | <b>4251269332630</b> | No. of screw holes                | <b>2</b>                                                                  |
|                                                                                                               | Package quantity | <b>1</b>             | Diam. of screw holes              | <b>6 mm</b>                                                               |
|                                                                                                               | Length           | <b>120 mm</b>        | Color                             | <b>black</b>                                                              |
|                                                                                                               | Width            | <b>40 mm</b>         | Suitable for cable entry systems: | <b>KEL-E4, KEL-ER-E4, KEL-QUICK-E4, KEL-FL 3</b>                          |
|                                                                                                               | Height           | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               | Mounting height  | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               |                  |                      |                                   |                                                                           |
| <b>Gasket E3</b><br><br>    | Part No.         | <b>42197</b>         | Cut-out size                      | <b>65 × 24 mm</b>                                                         |
|                                                                                                               | EAN              | <b>4251269332623</b> | No. of screw holes                | <b>2</b>                                                                  |
|                                                                                                               | Package quantity | <b>1</b>             | Diam. of screw holes              | <b>6 mm</b>                                                               |
|                                                                                                               | Length           | <b>98 mm</b>         | Color                             | <b>black</b>                                                              |
|                                                                                                               | Width            | <b>40 mm</b>         | Suitable for cable entry systems: | <b>KEL-E3, KEL-ER-E3, KEL-QUICK-E3, KEL-FG-E3, KEL-FG-ER E3, KEL-FL 2</b> |
|                                                                                                               | Height           | <b>2,5 mm</b>        |                                   |                                                                           |
|                                                                                                               | Mounting height  | <b>2,5 mm</b>        |                                   |                                                                           |

Gasket E2




|                  |               |                                   |                                                                    |
|------------------|---------------|-----------------------------------|--------------------------------------------------------------------|
| Part No.         | 42256         | Cut-out size                      | 43 × 24 mm                                                         |
| EAN              | 4251269332692 | No. of screw holes                | 2                                                                  |
| Package quantity | 1             | Diam. of screw holes              | 6 mm                                                               |
| Length           | 72,8 mm       | Color                             | black                                                              |
| Width            | 40 mm         | Suitable for cable entry systems: | KEL-E2, KEL-ER-E2, KEL-QUICK-E2, KEL-FG-E2, KEL-FG-ER E2, KEL-FL 1 |
| Height           | 2,5 mm        |                                   |                                                                    |
| Mounting height  | 2,5 mm        |                                   |                                                                    |

Gasket 183




|                  |               |                                   |         |
|------------------|---------------|-----------------------------------|---------|
| Part No.         | 47110         | No. of screw holes                | 8       |
| EAN              | 4251269332753 | Diam. of screw holes              | 7 mm    |
| Package quantity | 1             | Color                             | black   |
| Length           | 220 mm        | Suitable for cable entry systems: | KEL 183 |
| Width            | 118 mm        |                                   |         |
| Height           | 2,5 mm        |                                   |         |
| Mounting height  | 2,5 mm        |                                   |         |

Gasket 183-E




|                  |               |                                   |           |
|------------------|---------------|-----------------------------------|-----------|
| Part No.         | 47111         | No. of screw holes                | 6         |
| EAN              | 4251269332760 | Diam. of screw holes              | 7 mm      |
| Package quantity | 1             | Color                             | black     |
| Length           | 220 mm        | Suitable for cable entry systems: | KEL 183-E |
| Width            | 77 mm         |                                   |           |
| Height           | 2,5 mm        |                                   |           |
| Mounting height  | 2,5 mm        |                                   |           |

Gasket JUMBO 1



|                  |               |                                   |             |
|------------------|---------------|-----------------------------------|-------------|
| Part No.         | 42361         | No. of screw holes                | 4           |
| EAN              | 4251269332739 | Diam. of screw holes              | 7 mm        |
| Package quantity | 1             | Color                             | black       |
| Length           | 110,3 mm      | Suitable for cable entry systems: | KEL-JUMBO 1 |
| Width            | 116,3 mm      |                                   |             |
| Height           | 2 mm          |                                   |             |
| Mounting height  | 2 mm          |                                   |             |

Gasket JUMBO 2



|                  |               |                                   |             |
|------------------|---------------|-----------------------------------|-------------|
| Part No.         | 42351         | No. of screw holes                | 4           |
| EAN              | 4251269332722 | Diam. of screw holes              | 7 mm        |
| Package quantity | 1             | Color                             | black       |
| Length           | 200,3 mm      | Suitable for cable entry systems: | KEL-JUMBO 2 |
| Width            | 116,3 mm      |                                   |             |
| Height           | 2 mm          |                                   |             |
| Mounting height  | 2 mm          |                                   |             |