

KEL-DPZ multi-membrane cable entry plates, round

with metric threads M25 - M63 / IP66 / IP68 / UL Type 12/4X*



KEL-DPZ round cable entry plates are designed to route and seal cables without connectors or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The assembly of the KEL-DPZ round with unterminated cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ round provides strain relief and protection IP66 / IP68 / UL Type 4X*.

The round versions of the KEL-DPZ series have a thread to fit in metric cut-outs from M25 to M63. Thus cut-outs for metric cable glands can be used.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

*4X for indoor use only

IP54

IP68

HL3
EN 45545-2

REACH
COMPLIANCE

IP55

UL TYPE
12

EN 61373

Made in
Germany

IP64

UL TYPE
4X

ECOLAB
certified

IP65

UL

ISO 4892-2A

IP66

DNV

PNEUMATICS

IP67

RIFA

RoHS
compliant

Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer Base frame: Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Fasten with locknut

Advantages & Benefits

- Fast mounting
- High cable density
- Certified protection IP66/IP68 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Suitable for metric cut-outs
- Hexagonal locknut included in the delivery
- Hygienic design - free of dirt-collecting recesses

Product Types & Sizes


KEL-DPZ 25|3 gy



Part No.	43736
EAN	4251269320439
Package quantity	10
For max. no. of cables	3
Max. cable diameter	6,5 mm
Color	gray (similar RAL 7035)
Height	22 mm


Mounting height	8 mm
External diameter	39 mm
Cut-out size, round	25,3 mm
Cut-out size, metric	M25
Thread	M25 x 1,5
Thread length	14 mm
Clamping range	2 x 3.2 - 5.2 mm 1 x 3.2 - 6.5 mm

KEL-DPZ 25|3 bk




Part No.	50736	Mounting height	8 mm
EAN	4251269320453	External diameter	39 mm
Package quantity	10	Cut-out size, round	25,3 mm
For max. no. of cables	3	Cut-out size, metric	M25
Max. cable diameter	6,5 mm	Thread	M25 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	2 x 3.2 - 5.2 mm
			1 x 3.2 - 6.5 mm

KEL-DPZ 25|4 gy




Part No.	43737	Mounting height	8 mm
EAN	4251269320446	External diameter	39 mm
Package quantity	10	Cut-out size, round	25,3 mm
For max. no. of cables	4	Cut-out size, metric	M25
Max. cable diameter	5,2 mm	Thread	M25 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 5.2 mm

KEL-DPZ 25|4 bk




Part No.	50737	Mounting height	8 mm
EAN	4251269320460	External diameter	39 mm
Package quantity	10	Cut-out size, round	25,3 mm
For max. no. of cables	4	Cut-out size, metric	M25
Max. cable diameter	5,2 mm	Thread	M25 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 5.2 mm

KEL-DPZ 32|4 gy




Part No.	43732	Mounting height	8 mm
EAN	4251269310539	External diameter	44 mm
Package quantity	10	Cut-out size, round	32,3 mm
For max. no. of cables	4	Cut-out size, metric	M32
Max. cable diameter	12,5 mm	Thread	M32 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	3 x 3.2 - 6.5 mm
			1 x 7.2 - 12.5 mm

KEL-DPZ 32|4 bk







Part No.	50732	Mounting height	8 mm
EAN	4251269315152	External diameter	44 mm
Package quantity	10	Cut-out size, round	32,3 mm
For max. no. of cables	4	Cut-out size, metric	M32
Max. cable diameter	12,5 mm	Thread	M32 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	3 x 3.2 - 6.5 mm
			1 x 7.2 - 12.5 mm


KEL-DPZ 32|4-2 gy



Part No.	43733	Mounting height	8 mm
EAN	4251269310546	External diameter	44 mm
Package quantity	10	Cut-out size, round	32,3 mm
For max. no. of cables	4	Cut-out size, metric	M32
Max. cable diameter	9,5 mm	Thread	M32 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 5 - 9.5 mm


KEL-DPZ 32 4-2 bk 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Color Height	50733 4251269315169 10 4 9,5 mm black 22 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric Thread Thread length Clamping range	8 mm 44 mm 32,3 mm M32 M32 × 1,5 14 mm 4 x 5 - 9.5 mm
KEL-DPZ 32 7 gy 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Color Height	43734 4251269310553 10 7 6,5 mm gray (similar RAL 7035) 22 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric Thread Thread length Clamping range	8 mm 44 mm 32,3 mm M32 M32 × 1,5 14 mm 7 x 3.2 - 6.5 mm
KEL-DPZ 32 7 bk 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Color Height	50734 4251269315176 10 7 6,5 mm black 22 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric Thread Thread length Clamping range	8 mm 44 mm 32,3 mm M32 M32 × 1,5 14 mm 7 x 3.2 - 6.5 mm
KEL-DPZ 40 8 gy 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Color Height	43741 4251269310577 10 8 10,2 mm gray (similar RAL 7035) 22 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric Thread Thread length Clamping range	8 mm 52 mm 40,4 mm M40 M40 × 1,5 14 mm 4 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm
KEL-DPZ 40 8 bk 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Color Height	50741 4251269315190 10 8 10,2 mm black 22 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric Thread Thread length Clamping range	8 mm 52 mm 40,4 mm M40 M40 × 1,5 14 mm 4 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm
KEL-DPZ 50 8 gy 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Color Height	43750 4251269310584 10 8 12,5 mm gray (similar RAL 7035) 22 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric Thread Thread length Clamping range	8 mm 62 mm 50,4 mm M50 M50 × 1,5 14 mm 5 x 5 - 10.2 mm 3 x 7.2 - 12.5 mm

KEL-DPZ 50|8 bk




Part No.	50750	Mounting height	8 mm
EAN	4251269315206	External diameter	62 mm
Package quantity	10	Cut-out size, round	50,4 mm
For max. no. of cables	8	Cut-out size, metric	M50
Max. cable diameter	12,5 mm	Thread	M50 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	5 x 5 - 10.2 mm 3 x 7.2 - 12.5 mm

KEL-DPZ 50|10 gy




Part No.	43751	Mounting height	8 mm
EAN	4251269310591	External diameter	62 mm
Package quantity	10	Cut-out size, round	50,4 mm
For max. no. of cables	10	Cut-out size, metric	M50
Max. cable diameter	22,2 mm	Thread	M50 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	7 x 3.2 - 6.5 mm 2 x 5 - 10.2 mm 1 x 16 - 22.2 mm

KEL-DPZ 50|10 bk




Part No.	50751	Mounting height	8 mm
EAN	4251269315213	External diameter	62 mm
Package quantity	10	Cut-out size, round	50,4 mm
For max. no. of cables	10	Cut-out size, metric	M50
Max. cable diameter	22,2 mm	Thread	M50 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	7 x 3.2 - 6.5 mm 2 x 5 - 10.2 mm 1 x 16 - 22.2 mm

KEL-DPZ 50|12 gy




Part No.	43752	Mounting height	8 mm
EAN	4251269310607	External diameter	62 mm
Package quantity	10	Cut-out size, round	50,4 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	10,2 mm	Thread	M50 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm

KEL-DPZ 50|12 bk



Part No.	50752	Mounting height	8 mm
EAN	4251269315220	External diameter	62 mm
Package quantity	10	Cut-out size, round	50,4 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	10,2 mm	Thread	M50 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm


KEL-DPZ 50|19 gy



Part No. **43758**
EAN **4251269310621**
Package quantity **10**
For max. no. of cables **19**
Max. cable diameter **6,5 mm**
Color **gray (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **62 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **19 x 3.2 - 6.5 mm**


KEL-DPZ 50|19 bk



Part No. **50758**
EAN **4251269315244**
Package quantity **10**
For max. no. of cables **19**
Max. cable diameter **6,5 mm**
Color **black**
Height **22 mm**

Mounting height **8 mm**
External diameter **62 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **19 x 3.2 - 6.5 mm**


KEL-DPZ 50|78 gy



Part No. **43756**
EAN **4251269310614**
Package quantity **10**
For max. no. of cables **78**
Max. cable diameter **5 mm**
Color **gray (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **62 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm


KEL-DPZ 50|78 bk



Part No. **50756**
EAN **4251269315237**
Package quantity **10**
For max. no. of cables **78**
Max. cable diameter **5 mm**
Color **black**
Height **22 mm**


Mounting height **8 mm**
External diameter **62 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

KEL-DPZ 63|9 gy




Part No. **43760**
EAN **4251269310638**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **22,2 mm**
Color **gray (similar RAL 7035)**
Height **22 mm**


Mounting height **8 mm**
External diameter **75 mm**
Cut-out size, round **63,4 mm**
Cut-out size, metric **M63**
Thread **M63 × 1,5**
Thread length **14 mm**
Clamping range **1 x 3.2 - 6.5 mm**
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 63|9 bk


Part No.	50760	Mounting height	8 mm
EAN	4251269315251	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	9	Cut-out size, metric	M63
Max. cable diameter	22,2 mm	Thread	M63 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	1 x 3.2 - 6.5 mm
			3 x 5 - 10.2 mm
			4 x 9 - 16.2 mm
			1 x 16 - 22.2 mm

KEL-DPZ 63|13 gy


Part No.	43761	Mounting height	8 mm
EAN	4251269310645	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	13	Cut-out size, metric	M63
Max. cable diameter	16,2 mm	Thread	M63 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
			4 x 5 - 10.2 mm
			5 x 9 - 16.2 mm

KEL-DPZ 63|13 bk

Part No.	50761	Mounting height	8 mm
EAN	4251269315268	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	13	Cut-out size, metric	M63
Max. cable diameter	16,2 mm	Thread	M63 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
			4 x 5 - 10.2 mm
			5 x 9 - 16.2 mm


KEL-DPZ 63|14 gy

Part No.	43762	Mounting height	8 mm
EAN	4251269310652	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	14	Cut-out size, metric	M63
Max. cable diameter	10,2 mm	Thread	M63 × 1,5
Color	gray (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	14 x 5 - 10.2 mm

KEL-DPZ 63|14 bk

Part No.	50762	Mounting height	8 mm
EAN	4251269315275	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	14	Cut-out size, metric	M63
Max. cable diameter	10,2 mm	Thread	M63 × 1,5
Color	black	Thread length	14 mm
Height	22 mm	Clamping range	14 x 5 - 10.2 mm


KEL-DPZ 63|35 gy



Part No. **43763**
EAN **4251269310669**
Package quantity **10**
For max. no. of cables **35**
Max. cable diameter **6,5 mm**
Color **gray (similar RAL 7035)**
Height **22 mm**

Mounting height **8 mm**
External diameter **75 mm**
Cut-out size, round **63,4 mm**
Cut-out size, metric **M63**
Thread **M63 × 1,5**
Thread length **14 mm**
Clamping range **35 x 3.2 - 6.5 mm**

KEL-DPZ 63|35 bk



Part No. **50763**
EAN **4251269315282**
Package quantity **10**
For max. no. of cables **35**
Max. cable diameter **6,5 mm**
Color **black**
Height **22 mm**

Mounting height **8 mm**
External diameter **75 mm**
Cut-out size, round **63,4 mm**
Cut-out size, metric **M63**
Thread **M63 × 1,5**
Thread length **14 mm**
Clamping range **35 x 3.2 - 6.5 mm**