

IT 100% LED



IP20

RoHS compliant

UL US

REACH COMPLIANCE

CE

Made in Germany

UK CA

IK07

IK08

190° ALLIO 100% LED 1050 50,000 UL: [UL-US-2442933-0 \(USA\)](#) [UL-CA-2432446-0 \(Canada\)](#)


Borrow a sample now


IP (EN 60529)	IP20
	II()
	Enclosure:
	-20 C° to 50 C°
	, , ()

Features


- 190° LED
- : 19"
- 1050 LED
-
-

Accessories






EAN	81100	00 00 000	3.000 mm
	4251269333		Standard
UL000	019	가00	00 00 000
	1	000 00	
	-	00 00	8 W
	448 mm	00 00	24 V DC
	56,5 mm	000 00	EN 60598, EN
	26,2 mm		55015, EN
			61000, EN
			62741
		가0000	2014/35/EU,
			2014/30/EU
			50.000 h
			E
			5.600 K
		00 000 000 CRI	> 80
			1.000 lm
			00(RAL 7035 (
			00)




EAN	81202	00 00 000	3.000 mm
			Standard
UL000	1	가00	00 00 000
	UL-US-	000 00	
	2442933-0 /	00 00	8 W
	UL-CA-	00 00	24 V DC ±5%
	2432446-0	000 00	EN 60598, EN
	448 mm		55015, EN
	56,5 mm		61000, EN
	26,2 mm		62741
		가0000	2014/35/EU,
			2014/30/EU
			50.000 h
			E
			5.600 K
		00 000 000 CRI	> 80
			1.000 lm
			00(RAL 7035 (
			00)

Available from 03/2025

ALLIO 24 V DC (00 000)




EAN	81101	00 00 000	3.000 mm
	4251269333		PIR 00 000
UL000	026	000 00	
	1	00 00	8 W
	-	00 00	24 V DC
	448 mm	000 00	EN 60598, EN
	56,5 mm		55015, EN
	26,2 mm		61000, EN
			62741
		가0000	2014/35/EU,
			2014/30/EU
			50.000 h
			E
			5.600 K
		00 000 000 CRI	> 80
			1.000 lm
			00(RAL 7035 (
			00)




Available from 03/2025


EAN	81203	LED 조명	3.000 mm
	1	PIR	PIR 조명
UL인증	UL-US-2442933-0 / UL-CA-2432446-0	LED 조명	8 W
	448 mm	LED 조명	24 V DC $\pm 5\%$
	56,5 mm		EN 60598, EN 55015, EN 61000, EN 62741
	26,2 mm	가이드	2014/35/EU, 2014/30/EU 50.000 h E
			5.600 K
		LED 조명 CRI	> 80
			1.000 lm
			(RAL 7035 ())




EAN	81102	LED 조명	3.000 mm
	4251269333	Standard	Standard
UL인증	033	가이드	LED 조명
	1	LED 조명	8 W
	-	LED 조명	220 - 240 V
	448 mm	LED 조명	AC, 50 - 60 Hz
	56,5 mm		EN 60598, EN 55015, EN 61000, EN 62741
	26,2 mm	가이드	2014/35/EU, 2014/30/EU 50.000 h E
			5.600 K
		LED 조명 CRI	> 80
			1.000 lm
			(RAL 7035 ())



EAN	81103	LED 조명	1.500 mm
	4251269333	Standard	Standard
UL인증	040	가이드	LED 조명
	1	LED 조명	CEE 7/17
	-	LED 조명	8 W
	448 mm	LED 조명	220 - 240 V
	56,5 mm		AC, 50 - 60 Hz
	26,2 mm	가이드	EN 60598, EN 55015, EN 61000, EN 62741
		가이드	2014/35/EU, 2014/30/EU 50.000 h E
			5.600 K
		LED 조명 CRI	> 80
			1.000 lm
			(RAL 7035 ())




EAN	81104	00 00 000	3.000 mm
	4251269333		Standard
UL0000	057	00 가00	00 00 000
	1	000 00	
	-	00 00	8 W
	448 mm	00 00	100 - 240 V
	56,5 mm		AC, 50 - 60
	26,2 mm		Hz
		000 00	EN 60598, EN
			55015, EN
			61000, EN
			62741
		가00000	2014/35/EU,
			2014/30/EU
			50.000 h
			E
			5.600 K
		00 000 000 CRI	> 80
			1.000 lm
			00(RAL 7035 (
			00)



Available from 03/2025


EAN	81200	00 00 000	3.000 mm
			Standard
UL0000	1	00 가00	00 00 000
	UL-US-	000 00	
	2442933-0 /	00 00	8 W
	UL-CA-	00 00	100 - 240 V
	2432446-0		AC, 50 - 60
	448 mm		Hz
	56,5 mm	000 00	EN 60598, EN
	26,2 mm		55015, EN
			61000, EN
			62741
		가00000	2014/35/EU,
			2014/30/EU
			50.000 h
			E
			5.600 K
		00 000 000 CRI	> 80
			1.000 lm
			00(RAL 7035 (
			00)

ALLIO 100-240 V AC (00 000)



EAN	81105	00 00 000	3.000 mm
	4251269333		PIR 00 000
UL0000	064	000 00	
	1	00 00	8 W
	-	00 00	100 - 240 V
	448 mm		AC, 50 - 60
	56,5 mm		Hz
	26,2 mm	000 00	EN 60598, EN
			55015, EN
			61000, EN
			62741
		가00000	2014/35/EU,
			2014/30/EU
			50.000 h
			E
			5.600 K
		00 000 000 CRI	> 80
			1.000 lm
			00(RAL 7035 (
			00)

ALLIO 100-240 V AC UL/CSA (LED 1000)



EAN	81201	LED 1000	3.000 mm
UL/CSA	1	LED 1000	PIR LED 1000
	UL-US-2442933-0 / UL-CA-2432446-0	LED 1000	8 W
	448 mm	LED 1000	100 - 240 V
	56,5 mm	LED 1000	AC, 50 - 60
	26,2 mm	LED 1000	Hz
		LED 1000	EN 60598, EN
		LED 1000	55015, EN
		LED 1000	61000, EN
		LED 1000	62741
		LED 1000	2014/35/EU,
		LED 1000	2014/30/EU
		LED 1000	50.000 h
		LED 1000	E
		LED 1000	5.600 K
		LED 1000	> 80
		LED 1000	1.000 lm
		LED 1000	(RAL 7035) (
		LED 1000	)

19" LED 1000 bk



EAN	81135	LED 1000	4
	4251269333	LED 1000	6,5 mm
	101	LED 1000	
	1	LED 1000	
	484 mm	LED 1000	
	6 mm	LED 1000	
	44 mm	LED 1000	

19" LED 1000 gy



EAN	81134	LED 1000	4
	4251269333	LED 1000	6,5 mm
	095	LED 1000	
	1	LED 1000	
	484 mm	LED 1000	
	6 mm	LED 1000	
	44 mm	LED 1000	
		LED 1000	(RAL 7035) (
		LED 1000	)

