

□□□ □□□



이 모든 과정은 100도 이하에서 이루어진다. 이 C-100은 이 모든 과정 16-17mm의 두께를 가진다. 이 6mm-10mm의 두께를 가진다.

11/11

■ 가

■ 모모 C모모 모모 가모모 16-17mm모 모모.

11/11


11 11 11 11




	32000	□□ □□ □	6 - 13 mm
EAN	4251269323577	□□□ □□ □	1 x 6 - 13 mm
	25		
	24 mm		
	19 mm		
	31 mm		
□□ □□	51 mm		



EAN	32001	□□□ □□ □	12 - 19 mm
	4251269323584	□□□ □□ □	1 x 12 - 19 mm
□□ □□	25		
	24 mm		
	22 mm		
	36 mm		
	56,7 mm		




EAN	32002	□□□ □□ □	18 - 23 mm
	4251269323591	□□□ □□ □	1 x 18 - 23 mm
□□ □□	25		
	24 mm		
	26 mm		
	38 mm		
	62 mm		




EAN	32003	□□□ □□ □	22 - 32 mm
	4251269323607	□□□ □□ □	1 x 22 - 32 mm
□□ □□	25		
	24 mm		
	38 mm		
	52 mm		
	72 mm		




EAN	32004	□□□ □□ □	30 - 38 mm
	4251269323614	□□□ □□ □	1 x 30 - 38 mm
	25		
	24 mm		
	44 mm		
□□ □□	62 mm		
	78 mm		



EAN	32005	□□□ □□ □	38 - 42 mm
	4251269323621	□□□ □□ □	1 x 38 - 42 mm
	25		
	24 mm		
	48 mm		
□□ □□	67 mm		
	82 mm		



EAN	32006	□□□ □□ □	42 - 50 mm
	4251269323638	□□□ □□ □	1 x 42 - 50 mm
	25		
	24 mm		
	55 mm		
□□ □□	83 mm		
	101 mm		



EAN

32007

□□□ □□ □

50 - 64 mm

4251269323645

□□□ □□ □

1 x 50 - 64 mm

25

24 mm

69 mm

98 mm

116 mm

□□ □□

icotek[®]
smart cable management