





□□ □ □□

□□ □□ □ □□



EAN

□□ □□


42246
4251269332647
1
145 mm
56 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

112 × 36 mm
4
6 mm

KEL 24, KEL-U 24, KEL-ER 24,
KEL-QUICK 24, KEL-FG-A,
KEL-FG-ER A



EAN

□□ □□


42254
4251269332678
1
143 mm
83 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

112 × 66 mm
4
6 mm

KEL 24-E



EAN

□□ □□


42253
4251269332661
1
143 mm
100 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

112 × 82 mm
6
6 mm

KEL 24-MT



EAN

□□ □□


42255
4251269332685
1
143 mm
144,5 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

112 × 126 mm
8
6 mm

KEL 24-2MT



EAN

□□ □□


42170
4251269332616
1
118 mm
56 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

86 × 36 mm
4
6 mm

KEL 16, KEL-U 16, KEL-ER 16,
KEL-QUICK 16



EAN

□□ □□


42142
4251269332586
1
118 mm
83 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

86 × 66 mm
4
6 mm

KEL 16-E



EAN

□□ □□


42146
4251269332593
1
118 mm
100 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

86 × 82 mm
6
6 mm

KEL 16-MT



EAN

□□ □□


42150
4251269332609
1
118 mm
144,5 mm
3 mm
3 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

86 × 126 mm
8
6 mm

KEL 16-2MT



EAN

□□ □□


42257
4251269332708
1
98,3 mm
58 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

65 × 36 mm
4
6 mm

KEL 10, KEL-U 10, KEL-ER 10,
KEL-QUICK 10



EAN

□□ □□


42452
4251269332746
10
70,8 mm
56 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

46 × 46 mm
4
6 mm

KEL-B, KEL-U-B, KEL-ER-B



EAN

□□ □□

42451


1
72,85 mm
55,6 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

46 × 46 mm
4
9,5 mm

KEL-QUICK-B



EAN

□□ □□


42331
4251269332715
1
72,85 mm
55,6 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

46 × 46 mm
4
9,5 mm

KEL-FG-B, KEL-FG-ER B



EAN

□□ □□


42251
4251269332654
1
147 mm
40 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

112 × 24 mm
2
6 mm

KEL-E5, KEL-ER-E5, KEL-QUICK-E5, KEL-FG-E5, KEL-FG-ER E5, KEL-FL 4



EAN

□□ □□


42198
4251269332630
1
120 mm
40 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

86 × 24 mm
2
6 mm

KEL-E4, KEL-ER-E4, KEL-QUICK-E4, KEL-FL 3



EAN

□□ □□


42197
4251269332623
1
98 mm
40 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

65 × 24 mm
2
6 mm

KEL-E3, KEL-ER-E3, KEL-QUICK-E3, KEL-FG-E3, KEL-FG-ER E3, KEL-FL 2



EAN

□□ □□


42256
4251269332692
1
72,8 mm
40 mm
2,5 mm
2,5 mm

□□ □□□
□□ □ □
□□□ □□

□□ :

43 × 24 mm
2
6 mm

KEL-E2, KEL-ER-E2, KEL-QUICK-E2, KEL-FG-E2, KEL-FG-ER E2, KEL-FL 1



EAN

□□ □□


47110
4251269332753
1
220 mm
118 mm
2,5 mm
2,5 mm

□□ □ □
□□□ □□

□□ :

8
7 mm

KEL 183



EAN


□□ □□

47111
4251269332760
1
220 mm
77 mm
2,5 mm
2,5 mm

□□ :

6
7 mm

KEL 183-E




EAN

□□ □□

42361
4251269332739
1
110,3 mm
116,3 mm
2 mm
2 mm

□□ :

4
7 mm
KEL-JUMBO 1



EAN

□□ □□

42351
4251269332722
1
200,3 mm
116,3 mm
2 mm
2 mm

The image shows base ten blocks representing the number 240. There are 14 tens rods and 10 ones units arranged in two rows. The top row has 7 tens rods and 5 ones units. The bottom row has 7 tens rods and 5 ones units.

□□ :

4
7 mm

KEL-JUMBO 2