

KTF | KEL-JUMBO

8 - 65 mm / IP54 / UL Type 12



IP54

UL TYPE 12

CULUS

RIFA

HL3 EN 45545-2

EN 61373

ECOLAB certified

ISO 4892-2A

RoHS compliant

REACH COMPLIANCE

Made in Germany

IP (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
	UL94-V0,
	-40 C° to 100 C°

KTF 65 mm 가.


KEL-JUMBO 8-55mm 가.

KTF-SCDP KTF 8-55mm 가.

KTF-SCDP 가.

- 65mm 가
- 가
- 가
- (KTF-SCDP)

가 가 가 가




EAN

42371
4251269308581
1
(RAL 7035)
81 mm
81 mm
37 mm

가

2,5 mm
1

가



EAN

가

42376
4251269308598
1
1
(RAL 7035)
81 mm
81 mm


가

가

가

가

37 mm
2,5 mm
가
33 - 36 mm
1 x 33 - 36 mm



EAN

가

42379
4251269308604
1
1
(RAL 7035)
81 mm
81 mm


가

가

가

가

37 mm
2,5 mm
가
27 - 40 mm
1 x 37 - 40 mm




EAN

□□□ □

42382
4251269308611
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
41 - 44 mm
1 x 41 - 44 mm




EAN

□□□ □

42385
4251269308628
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
45 - 48 mm
1 x 45 - 48 mm




EAN

□□□ □

42388
4251269308635
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
48 - 52 mm
1 x 48 - 52 mm




EAN

□□□ □

42391
4251269308642
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
53 - 56 mm
1 x 53 - 56 mm




EAN

□□□ □

42394
4251269308659
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
56 - 60 mm
1 x 56 - 60 mm




EAN

□□□ □

42397
4251269308666
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
61 - 65 mm
1 x 61 - 65 mm




EAN

□□□ □

42370
4251269308574
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□ □

37 mm
2,5 mm
□□□ □□□



EAN

□□□ □

42398
4251269332005
1
1
□□(RAL 7035□ □□)
81 mm
81 mm

□□ □□
□□□ □□

□□□ □□ □
□□□ □□ □

37 mm
2,5 mm
□□ □□□
1
8 - 55 mm
1 x 8 - 55 mm