


KTMB | 2.5 - 33 mm² / IP54 / UL Type 12




KTMB 2.5 - 33 mm² IP54 / UL Type 12 케이블은 산업용 및 상업용 응용 분야에 적합합니다.

KTMB 2.5 - 33 mm² IP54 / UL Type 12 케이블은 다양한 산업 및 상업용 응용 분야에 적합합니다.

IP 등급 (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
	2.5 - 33 mm²
	UL94-V0, 0.5 mm
	-40 C° to 100 C°
	2.5 - 33 mm², 0.5 mm

- 2.5 - 33 mm²
- 0.5 mm

2.5 - 33 mm²




EAN
4251269307188

41432
4251269307188
10
1
RAL 7035 (RAL 7035)
21 mm
21 mm

2.5 - 33 mm²
0.5 mm

19 mm
2 mm
2.5 - 6.5 mm
1 x 2.5 - 6.5 mm




EAN
4251269307195

41434
4251269307195
10
1
RAL 7035 (RAL 7035)
21 mm
21 mm

2.5 - 33 mm²
0.5 mm

19 mm
2 mm
4 - 7.5 mm
1 x 4 - 7.5 mm




EAN
□□□ □

41436
4251269307201
10
1
□□(RAL 7035□ □)
21 mm
21 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
6,5 - 10 mm
1 x 6.5 - 10 mm




EAN
□□□ □

41438
4251269307218
10
1
□□(RAL 7035□ □)
21 mm
21 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
9,5 - 13 mm
1 x 9.5 - 13 mm




EAN
□□□ □

41440
4251269307225
10
1
□□(RAL 7035□ □)
21 mm
21 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
13 - 16 mm
1 x 13 - 16 mm




EAN
□□□ □

41460
4251269307232
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
13 - 18 mm
1 x 13 - 18 mm




EAN
□□□ □

41465
4251269307249
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
18 - 23 mm
1 x 18 - 23 mm




EAN
□□□ □

41470
4251269307256
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
23 - 28 mm
1 x 23 - 28 mm




EAN
□□□ □

41475
4251269307263
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
28 - 33 mm
1 x 28 - 33 mm



EAN

□□□ □

41480
4251269307270
10
2
□□(RAL 7035□ □□)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
2× 13 - 18 mm
2 x 13 - 18 mm