


□□□□□ / IP54



IP54

RoHS
compliant

 REACH
COMPLIANCE

Made in
Germany

KEL 24, KEL-U 24, KEL-QUICK 24, KEL-JUMBO, KEL-DPF, KEL-JUMBO flex, KEL-ULTRA flex

KEL 24, KEL-U 24, KEL-QUICK 24, KEL-JUMBO, KEL-DPF, KEL-JUMBO flex, KEL-ULTRA flex

11/11

□□□ □□□□ □□ □ □□ (□ □□□ □□□)


□□ □□□□ □□

0000 00 00 0000 (0000 43882 (blank plate)) 0000 00 00 000 000 000000. 0 00 00000 00 000 00 000


11/11

IP 0000 (EN 60529)	IP54
	0000 0
	0000


□□ □□ □ □□




EAN	43882 4251269310898 1 338 mm 168 mm 2 mm -	□□□□□ □□	Rittal VX25, Rittal TS 8
□□ :	-		




EAN	43891	□□ :	3 × KEL 24 / KEL-U 24 / KEL-FA 24 / KEL-QUICK 24
	4251269310966		
	1		
	338 mm		
□□ □□□	168 mm	□□□□□ □□	Rittal VX25, Rittal TS 8
	2 mm		
	112 × 36 mm		




EAN	43890	□□ :	4 × KEL 24 / KEL-U 24 / KEL-FA 24 / KEL-QUICK 24
	4251269310959		
	1		
	338 mm		
□□ □□□	168 mm	□□□□□ □□	Rittal VX25, Rittal TS 8
	2 mm		
	112 × 36 mm		




EAN	43886	□□□□□ □□	Rittal VX25, Rittal TS 8
	4251269310911		
	1		
	338 mm		
□□ :	168 mm	1 × KEL-JUMBO 1,	
	2 mm		1 × KEL-JUMBO 2




EAN	43888 4251269310935 1 338 mm 168 mm 2 mm 2 × KEL-JUMBO 1	□□□□□ □□	Rittal VX25, Rittal TS 8
□□ :			



EAN	43887 4251269310928 1 338 mm 168 mm 2 mm 112 × 36 mm	□□ : □□□□□ □□	2 × KEL 24 / KEL-U 24 / KEL-FA 24 / KEL-QUICK 24, 1 × KEL-JUMBO 1 Rittal VX25, Rittal TS 8
□□ □□□			




EAN	43883 4251269310904 1 338 mm 168 mm 2 mm 50,4 mm	□□ : □□□□□ □□	5 × KEL-DPZ 50 / KEL-DPZ-HD 50 / KEL-DPZ-CLICK 50 / KEL-SCDP-TR 50 / KEL-DPF 50 Rittal VX25, Rittal TS 8
□□ □□ □□□			




EAN	43889	Rittal : Rittal TS 8	3 × KEL-JUMBO flex Rittal VX25, Rittal TS 8
	4251269310942		
	1		
	338 mm		
	168 mm		
	2 mm		
00 00 000	75,5 mm		



EAN	43894	Rittal : Rittal TS 8	2 x KEL-ULTRA flex Rittal VX25, Rittal TS 8
	4251269310973		
	1		
	338 mm		
	168 mm		
	3 mm		
00 00 000	140 mm		



	43896		63,4 mm
EAN	4251269320422	 :	2 × KEL 24 / KEL-U
	1		24 / KEL-FA 24 /
	338 mm		KEL-QUICK 24, 1 ×
	168 mm		KEL-DPZ 63 / KEL-
	2 mm		DPZ-CLICK 63 /
	112 × 36 mm		KEL-DPF 63
			Rittal VX25, Rittal
			TS 8



EAN

00 00 000

43899
4251269319020
1
338 mm
168 mm
3 mm
63,4 mm

00 :

000000 00

5 × KEL-DPZ 63 /
KEL-DPZ-HD 63 /
KEL-DPZ-CLICK 63
/ KEL-SCDP-TR 63 /
KEL-DPF 63
Rittal VX25, Rittal
TS 8

icotek[®]
smart cable management